Power

MSI MAG A850GL PCIE5 virtalähdeyksikkö 850 W 20+4 pin ATX ATX musta

Tuotemerkki : MSI

Tuotekoodi: MAG A850GL PCIE5

Ports & interfaces

Tuotteen nimi : MAG A850GL PCIE5

MSI MAG A850GL PCIE5. Kokonaisteho: 850 W, AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 47 - 63 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 60 cm, Kaapelointityyppi: Täysin modulaarinen. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 12 cm. Tuotteen leveys: 150 mm, Tuotteen syvyys: 140 mm, Tuotteen korkeus: 86 mm





Total power * 850 W EPS power connector (4+4 pin) AC input voltage * 100 - 240 V PCI Express power connectors (6+2 47 - 63 Hz AC input frequency pin) Maximum input current (@110V) 8 A CPU power connector (4+4 pin) Maximum input current (@220V) 4 A Power Factor Correction (PFC) type Active 110 W Combined power (+3.3V) Combined power (+12V) 846 W Combined power (+5V) 110 W 3.6 W Combined power (-12V) 12.5 W Combined power (+5Vsb) Max output current (+3.3V) 20 A Max output current (+12V) 70.5 A Max output current (+5V) 20 A Max output current (-12V) 0.3 A Max output current (+5Vsb) 2.5 A Efficiency 90% Over current, Over power, Over Power protection features voltage, Overheating, Short circuit Ports & interfaces Motherboard power connector * 20+4 pin ATX Motherboard power cable length 60 cm Number of SATA power connectors 8 Peripheral (Molex) power 4 connectors (4-pin) * EPS power connector (8-pin) ×

| ATX Power connector (24-pin) | × |
|---|---|
| ATX power connector (20+4 pin) | × |
| Cabling type | Fully-Modular |
| Performance | |
| 80 PLUS certification * Purpose * | 80 PLUS Gold PC |
| Power supply unit (PSU) form factor * | ATX |
| Design | |
| Product colour Cooling type Fan diameter Number of fans Illumination On/off switch | Black Active 12 cm 1 fan(s) X |
| Weight & dimensions | |
| Width Depth Height | 150 mm 140 mm 86 mm |
| Packaging data | |
| Package type | Box |
| Logistics data | |
| Harmonized System (HS) code | 84733020 |

1

л

1









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.