Canon

Canon PIXMA TR4751i Inkjet A4 4800 x 1200 DPI 8.8 ppm Wi-Fi

Brand : Canon Product family: PIXMA Product code: 5074C026

Product name: TR4751i

4-in-One, A4, 4800 x 1200 dpi, 8.8/4.4 ipm, Auto Duplex, USB, Wi-Fi, LCD Canon PIXMA TR4751i. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 4.4 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 1200 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: White





| Printing | | Paper handling | |
|--|------------------------------------|---|--|
| Duplex printing mode | Auto | Maximum ISO A-series paper size * | A4 |
| Print technology * Printing * Duplex printing * | Inkjet Colour printing ✓ | Paper tray media types * | Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi- glossy paper |
| Maximum resolution * | 4800 x 1200 DPI | ISO A-series sizes (A0A9) * | A4, A5, A6 |
| Print speed (black, normal quality, A4/US Letter) * | 8.8 ppm | ISO B-series sizes (B0B9) Non-ISO print media sizes | B5 Legal, Letter |
| Print speed (colour, normal quality, A4/US Letter) | 4.4 ppm | Envelopes sizes | Com-10, DL |
| Time to first page (black, normal) Time to first page (colour, normal) Borderless printing | 11 s 19 s ✓ | Photo paper sizes Photo paper sizes (imperial) Custom media width Custom media length | 10x15,13x18,20x25 4x6,5x7,8x10 101.6 - 215.9 mm 152.4 - 676 mm |
| Copying | | Ports & interfaces | 132.4 - 070 Hilli |
| Copying * Maximum number of copies Copier resize N-in-1 copy function | Colour copying 99 copies 25 - 400% | Direct printing * USB port USB connector | ✓ ✓ USB Type-B |
| N-in-1 copy function (N=) | 2, 4 | Network | |
| ID-card copy function | 1 | Wi-Fi * | ✓ |
| Edge erase function | ✓ | Ethernet LAN * | × |
| PC free copying | ✓ | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Scanning | | Security algorithms | WEP, WPA-PSK, WPA2-PSK |
| Scanning * | Colour scanning | Mobile printing technologies | Apple AirPrint, Mopria Print Service, PIXMA Cloud Link |
| Optical scanning resolution * Maximum scan area | 600 x 1200 DPI 216 x 356 mm | Design | |
| Scanner type * Scan technology | Flatbed & ADF scanner CIS | Product colour * Market positioning * | White Home & office |
| Input colour depth | 16 bit | Built-in display * | ✓ |

| Scanning | | Design | |
|---|--|---|---|
| Output colour depth Input greyscale depth | 8 bit 16 bit | Display Control type | LCD Buttons |
| Output greyscale depth | 8 bit | Power | |
| Fax | | Power consumption (copying) | 7 W |
| Faxing * Fax resolution (black) Fax transmission speed Modem speed | Colour faxing 300 x 300 DPI 3 sec/page 33.6 Kbit/s 50 pages | Power consumption (off) AC input voltage AC input frequency | 0.3 W 100 - 240 V 50 - 60 Hz |
| | | System requirements | |
| Fax memory Features | | Windows operating systems supported | Windows 10, Windows 7, Windows 8.1 |
| Maximum duty cycle * Duplex functions * Number of print cartridges * Printing colours * | 1200 pages per month Print 2 Black, Cyan, Magenta, Yellow | Mac operating systems supported | Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Input & output capacity | | Mobile operating systems supported | |
| Total number of input trays * | 1 | Other operating systems supported | ChromeOS |
| Auto document feeder (ADF) | 100 sheets ✓ 20 sheets | Operational conditions | |
| | | Operating relative humidity (H-H) Operating temperature (T-T) | 10 - 90% 5 - 35 °C |
| | | Weight & dimensions | |
| | | Width Depth Height Weight | 435 mm 295 mm 189 mm 5.8 kg |
| | | Packaging content | |
| | | Cartridge(s) included Cables included | AC |



4549292191882

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.