

MPN: MC-HDM19197.5V2.0WH

HDMI Cable 4K, 7.5m

Ultra High-Speed 4K@60Hz 18Gbit HDMI 2.0 Cable with Dynamic HDR and Audio Return Channel (ARC). Supports resolutions up to 4K and refresh rates up to 60Hz.

- HDMI 2.0 4K60Hz
- 18Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



Specifications

Features

Audio Return Channel (ARC)YesAWG wire size28Bandwidth60 MHzCable jacket materialPolyvinyl chloride (PVC)Cable length7.5 mCable materialCopperColour depth16 bitConnector 1HDMI Type A (Standard)Connector 1 form factorStraightConnector 2 genderMaleConnector 2 form factorStraightConnector 2 genderMaleConnector 2 genderMaleConnector 2 genderMaleConnector 2 genderMaleConnector contacts platingGoldData transfer rate18 Gbit/sDolby technologiesDTS-HD Master Audio, Dolby TrueHDHDCPYesHDCP version1.4/2.2HDMI Ethernet channelYesHDMI version2.0High Dynamic Range (HDR) supportedHigh Dynamic Range (HDR) technologyHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10 (HDR10)High Dynamic Range 10 (HDR10)YesMaximum resolution4096 x 2160 PixelsPlug and PlayYesProduct colourWhite	3D	Yes
Bandwidth 60 MHz Cable jacket material Polyvinyl chloride (PVC) Cable length 7.5 m Cable material Copper Colour depth 16 bit Connector 1 HDMI Type A (Standard) Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 Straight Connector 2 Straight Connector 2 Gorm factor Straight Connector 2 Gorm factor Straight Connector 2 Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Audio Return Channel (ARC)	Yes
Cable jacket material Polyvinyl chloride (PVC) Cable length 7.5 m Cable material Copper Colour depth 16 bit Connector 1 HDMI Type A (Standard) Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Maximum resolution 4096 x 2160 Pixels Plug and Play	AWG wire size	28
Cable length 7.5 m Cable material Copper Colour depth 16 bit Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP Yes HDCP Version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Maximum resolution 4096 x 2160 Pixels Plug and Play	Bandwidth	60 MHz
Cable material Colour depth 16 bit Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Cable jacket material	Polyvinyl chloride (PVC)
Colour depth 16 bit Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 Straight Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) technology High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Cable length	7.5 m
Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 2 Male Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP Yes HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play	Cable material	Copper
Connector 1 form factor Connector 2 gender Connector 2 hDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Colour depth	16 bit
Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Connector 1	HDMI Type A (Standard)
Connector 2 Connector 2 form factor Straight Connector 2 gender Male Connector contacts plating Cold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Connector 1 form factor	Straight
Connector 2 form factor Connector 2 gender Male Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Connector 1 gender	Male
Connector 2 gender Connector contacts plating Gold Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Connector 2	HDMI Type A (Standard)
Connector contacts plating Data transfer rate 18 Gbit/s Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Connector 2 form factor	Straight
Data transfer rate Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play	Connector 2 gender	Male
Dolby technologies DTS-HD Master Audio, Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play	Connector contacts plating	Gold
HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range (HDR) Yes High Dynamic Range (HDR) Yes High Dynamic Range (HDR) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Data transfer rate	18 Gbit/s
HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	Dolby technologies	DTS-HD Master Audio, Dolby TrueHD
HDMI Ethernet channel Yes HDMI version 2.0 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution Yes 4096 x 2160 Pixels Plug and Play Yes	HDCP	Yes
HDMI version 2.0 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	HDCP version	1.4/2.2
High Dynamic Range (HDR) supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	HDMI Ethernet channel	Yes
supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes	HDMI version	2.0
technology High Dynamic Range 10 (HDR10) Yes Maximum resolution 4096 x 2160 Pixels Plug and Play Yes		Yes
Maximum resolution4096 x 2160 PixelsPlug and PlayYes		High Dynamic Range 10 (HDR10)
Plug and Play Yes	High Dynamic Range 10 (HDR10)	Yes
•	Maximum resolution	4096 x 2160 Pixels
Product colour White	Plug and Play	Yes
	Product colour	White



Features	Quantity per pack	1 kusů
	RGB support	4:4:4
	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
Other features	Quantity	1
Package dimensions	Depth (package,cm)	20.1 cm
	Gross Weight (Package, kg)	0.46 kg
	Height (package,cm)	6.3 cm
	Width (package,cm)	22.4 cm
Product dimensions	Net Weight (Product, kg)	0.4 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	8 mm



Other images

