

MPN: MC-HDM19190.5V2.0WH

## HDMI Cable 4K, 0.5m

Ultra High-Speed 4K@60Hz 18Gbit HDMI 2.0 Cable with Dynamic HDR and Audio Return Channel (ARC). Supports resolutions up to 4K and refresh rates up to 60Hz.

- HDMI 2.0 4K60Hz
- 18Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



## Specifications

### Features

<b>3D</b>	Yes
<b>Audio Return Channel (ARC)</b>	Yes
<b>AWG wire size</b>	30
<b>Bandwidth</b>	60 MHz
<b>Cable jacket material</b>	Polyvinyl chloride (PVC)
<b>Cable length</b>	0.5 m
<b>Cable material</b>	Copper
<b>Colour depth</b>	16 bit
<b>Connector 1</b>	HDMI Type A (Standard)
<b>Connector 1 form factor</b>	Straight
<b>Connector 1 gender</b>	Male
<b>Connector 2</b>	HDMI Type A (Standard)
<b>Connector 2 form factor</b>	Straight
<b>Connector 2 gender</b>	Male
<b>Connector contacts plating</b>	Gold
<b>Data transfer rate</b>	18 Gbit/s
<b>Dolby technologies</b>	Dolby TrueHD
<b>HDCP</b>	Yes
<b>HDCP version</b>	2.2
<b>HDMI Ethernet channel</b>	Yes
<b>HDMI version</b>	2.0
<b>High Dynamic Range (HDR) supported</b>	Yes
<b>High Dynamic Range (HDR) technology</b>	High Dynamic Range 10 (HDR10)
<b>High Dynamic Range 10 (HDR10)</b>	Yes
<b>Magnetically shielded</b>	Yes
<b>Maximum refresh rate</b>	60 Hz
<b>Maximum resolution</b>	4096 x 2160 Pixels

Features	Plug and Play	Yes
	Product colour	White
	Pull-off force	1 kg
	Pull-resistant connector(s)	Yes
	Quantity per pack	1 kusú
	RGB support	4:4:4
	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
	Supported video modes	2160p
Operational conditions	Operating temperature (T-T)	-20 - 60 °C
Other features	Cable colour	White
	Quantity	1
Package dimensions	Depth (package,cm)	20.2 cm
	Gross Weight (Package, kg)	0.05 kg
	Height (package,cm)	1.6 cm
	Width (package,cm)	27.4 cm
Product dimensions	Net Weight (Product, kg)	0.04 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6 mm

## Other images

