Shuttle

Shuttle DS50U barebone-tietokonerunko 1.3L kokoinen PC musta 7305

**Tuotemerkki :** Shuttle

Tuotekoodi: DS50U

Tuotteen nimi : DS50U

Shuttle DS50U. Alustatyyppi: 1.3L kokoinen PC, Tuotetyyppi: Mini PC Barebone. BIOS-tyyppi: UEFI AMI. Tuetut muistityypit: DDR5-SDRAM, Muistipaikkojen lukumäärä: 2, Sisäinen enimmäismuisti: 64 GB. Tuetut tallennusasematyypit: HDD & SSD, Tallennuslaitteen liitäntä: PCI Express, Serial ATA III. Ethernet LAN (RJ-45) -portit: 2. Jäähdytyksen tyyppi: Passiivinen. Virtalähde: 90 W

Processor

Processor manufacturer	Intel
Processor family	Intel® Celeron®
Processor model	7305
Processor cores	5
Processor threads	5
Performance cores	1
Efficient cores	4
Built-in processor *	✔
ECC supported by processor	✘

Memory

Memory slots type *	SO-DIMM
Number of memory slots *	2
Maximum internal memory	64 GB
Supported memory clock speeds	5200 MHz
Supported memory types	DDR5-SDRAM
Memory channels	Dual-channel
Memory voltage	1.1 V

Storage

Supported storage drive types *	HDD & SSD
Storage drive sizes supported *	2.5,M.2
Storage drive interface	PCI Express, Serial ATA III
NVMe	✔
Number of storage drives supported	3

Design

Chassis type *	1.3L sized PC
Product colour *	Black
Cooling type *	Passive
On/off switch	✔
LED indicators	HDD, Power
Housing material	Steel
Cable lock slot	✔
Cable lock slot type	Kensington
VESA mounting	✔
Panel mounting interface	75 x 75,100 x 100 mm
Product type *	Mini PC barebone

Performance

Number of processors supported	1
BIOS type	UEFI AMI
Trusted Platform Module (TPM)	✔
Trusted Platform Module (TPM) version	2.0
Audio chip	RealTek ALC888S

Technical details

Compliance certificates	BSMI, CB, CE, Federal Communications Commission (FCC), RCM, RoHS, VCCI, cTUVus

Graphics

On-board graphics card *	✔
Graphics card family	Intel
On-board graphics card model	Intel® UHD Graphics

Audio

Built-in speaker(s) *	✘

Network

Ethernet LAN *	✔
Wi-Fi *	✘
LAN controller	Intel® I219, Intel I226-LM

Ports & interfaces

USB 2.0 ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
HDMI ports quantity *	1
HDMI version	2.0b
VGA (D-Sub) ports quantity *	1
DisplayPorts quantity	1
DisplayPort version	1.4
Microphone in	✔
Headphone outputs	1
Ethernet LAN (RJ-45) ports *	2
Serial ports quantity	1
DC-in jack	✔

Logistics data

Harmonized System (HS) code	84733080

Software

Windows operating systems supported	Windows 10, Windows 11
Linux operating systems supported	✔
Operating system installed	✘

Sustainability

Sustainability compliance	✔
Sustainability certificates	ENERGY STAR, ErP

Power

Power supply type *	External AC adapter
Power supply	90 W
Number of power supply units	1
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
AC adapter output voltage	19 V
AC adapter output current	1.6 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	200 mm
Depth	165 mm
Height	39.5 mm
Weight	1.6 kg
Package weight	2.3 kg

Packaging content

Power cord included	✔
AC adapter included	✔
Quick start guide	✔

0887993006208

887993006208

0887993006574

887993006574