Verbatim GNC-35 Universaali musta, Harmaa AC Pikalataus Sisätila

Tuotemerkki : Verbatim Tuotekoodi: 32200

Tuotteen nimi: GNC-35

Verbatim GNC-35. Laturin tyyppi: Sisätila, Virtalähteen malli: AC, Laturin yhteensopivuus: Universaali. Tulojännite: 100 - 240 V, Ulostulon jännite (max.): 20 V. USB C-tyyppiporttien määrä: 1, Pikalataus, Virtalähteen suojausominaisuudet: Ylivirta, Ylijännite, Ylikuumeneminen, Oikosulku. Tuotteen väri: musta, Harmaa





Performance		Weight & dimensions	
Charger compatibility * Power source type * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	Universal AC 1	Depth Height Weight	49 mm 32 mm 56 g
USB Type-C ports quantity Fast charging Fast charging technology Charger type * Programmable power supply (PPS) USB Power Delivery (USB PD)	1 Quick Charge 3.0 Indoor	Packaging data Quantity per pack Package type Package width Package depth Package height Package weight	1 pc(s) Hanging box 47 mm 110 mm 100.5 mm
USB Power Delivery up to Power protection features	35 W Over current, Over voltage, Overheating, Short circuit	Operational conditions Operating temperature (T-T)	-10 - 40 °C
Country of origin Design Product colour *	China Black, Grey	Storage temperature (T-T) Operating relative humidity (H-H) Packaging content	-20 - 80 °C 5 - 90%
Housing material Plug and Play Gallium nitride (GaN) transistors	Polycarbonate (PC)	AC adapter included Quick installation guide Technical details	*
Power Input voltage Input frequency	100 - 240 V 50/60 Hz	Sustainability compliance Compliance certificates	✓ REACH, RoHS
Input current 0.8 A Maximum power 35 W Maximum output voltage 20 V Minimum output voltage 3.6 V Port 1 output power 35 W Port 2 output power 18 W	Customs product code (TARIC) Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight	85366990 280 mm 475 mm 302 mm 7.9 kg	

Power		Logistics data	
Output current (5V)	3 A	Products per master (outer) case	40 pc(s)
Output current (9V)	3 A	Shipping (inner) case width	22 cm
Output current (12V)	2.92 A	Shipping (inner) case length	25.5 cm
Output current (15V)	2.33 A	Shipping (inner) case height	13.1 cm
Output current (20V)	1.75 A	Shipping (inner) case gross weight	1.83 kg
Compatible power plug types	EU, UK, US	Products per shipping (inner) case	10 pc(s)
Weight & dimensions			
Width	31 mm		





023942322009

0023942322009





Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.