Verbatim CMH-14 USB Type-C 5000 Mbit/s Silver

Brand: Verbatim Product code: 32154

Product name: CMH-14

- Transform a single USB-C \$ port into fourteen ports including dual HDMI, VGA, and gigabit ethernet connection
- $-2 \times HDMI$, $1 \times VGA$, $1 \times RJ45$, $3 \times USB-A$ 3.2 Gen1, $1 \times USB-C$ 3.2 Gen1, $2 \times USB-A$ 2.0, $1 \times SD$ card slot, $1 \times MUSB-C$ 2.0 Gen1, $2 \times MUSB-A$ 2.0, $1 \times SD$ card slot, $1 \times MUSB-C$ 2.0 Fig. 1.2 Since $1 \times MUSB-C$ 2.2 Gen1, $2 \times MUSB-A$ 2.0, $1 \times MUSB-A$ 3.0, $1 \times MUSB-A$ 3.0, $1 \times MUSB-A$ 3.0, $1 \times MUSB-A$ 3.1, $1 \times MUSB-A$
- Triple 1080p video output
- Dual 4K HDMI display support
- VGA socket for legacy monitor support
- Equipped with a combination of USB-A and USB-C ports for connecting multiple devices
- Integrated SD and microSD memory card slots
- Gigabit ethernet port for high speed, wired internet acess
- Dual USB-C Power Delivery charge devices while using the hub wth pass-through charging 2 x HDMI, 4K60Hz, 4K30Hz, 1 x VGA, 1080p, 1 x RJ45, 1Gb/s, 3 x USB-A 3.2 Gen1, 5Gb/s, 1 x USB-C 3.2 Gen1, 5Gb/s, 2 x USB-A 2.0, 1 x Audio jack, 1 x SD 3.0, 1 x microSD 3.0, 1 x USB-C PD, 40mm x 55.4mm x 15mm





Ports & interfaces		Weight & dimensions	
Host interface *	USB Type-C	Width	55.4 mm
Hub interfaces *	HDMI, RJ-45, USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Type-C, VGA	Depth Height Weight	140 mm 15 mm 125 g
USB 2.0 ports quantity	2	Packaging data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Quantity per pack Package width	1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Package depth	200 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Package height Package weight	22 mm 186 g
HDMI ports quantity	2	Package type	Hanging box
VGA (D-Sub) ports quantity	1	Packaging content	
Combo headphone/mic port	✓	Quick start guide	✓
Ports quantity *	14		•
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Card reader slot	2	Operating temperature (T-T)	0 - 40 °C
Compatible memory cards	MicroSD (TransFlash), SD	Storage temperature (T-T)	-20 - 70 °C
Features		Operating relative humidity (H-H)	10 - 85%
Data transfer rate *	5000 Mbit/s	Logistics data	
Maximum refresh rate	60 Hz	Packs per box (outer)	40
Product colour	Silver	Box (outer) per layer	8
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Products per pallet Master (outer) case width	960 pc(s) 245 mm
USB Power Delivery (USB PD)	✓	Layers per pallet	3 pc(s)
USB Power Delivery up to	100 W	Master (outer) case length	435 mm
HD type	4K Ultra HD	Master (outer) case height	290 mm

Features		Logistics data	
LED indicators Cable length Country of origin Certification	X 0.15 m China EAC/CE/UKCA/FCC RoHS/REACH	Master (outer) case gross weight Products per master (outer) case Shipping (inner) case width Shipping (inner) case length Shipping (inner) case height Shipping (inner) case gross weight Products per shipping (inner) case	8.6 kg 40 pc(s) 11.2 cm 41.5 cm 13 cm 2.01 kg 10 pc(s)
Network Ethernet interface type	Gigabit Ethernet		
Power		Technical details	
Output voltage Output current	5 V 0.9 A	Master (outer) cases per pallet	24 pc(s)
System requirements			
Windows operating systems supported Mac operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8 Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		
Other operating systems supported	ChromeOS		





023942321545

0023942321545





Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.