


Display		Power	
DDC/CI	✓	European Product Registry for Energy Labelling (EPREL) code	1123971
Haze rate	25%	Operational conditions	
Surface hardness	3H	Operating temperature (T-T)	0 - 40 °C
Colour gamut standard	sRGB	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	114.18%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	102.02%	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	3658 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	614 mm
AMD FreeSync *	✗	Depth (with stand)	212 mm
Fast charging	✓	Height (with stand)	524 mm
Fast charging technology	Power Delivery	Weight (with stand)	6.57 kg
VESA Adaptive Sync support	✓	Width (without stand)	614 mm
Component video sync	Separate sync	Depth (without stand)	52 mm
Flicker-free technology	✓	Height (without stand)	379 mm
Low Blue Light technology	✓	Weight (without stand)	4.7 kg
Multimedia		Packaging data	
Number of speakers	2	Package width	780 mm
RMS rated power	10 W	Package depth	186 mm
Built-in speaker(s) *	✓	Package height	525 mm
Megapixel (approx.)	5 MP	Package weight	10.7 kg
Built-in microphone	✓	Packaging content	
Built-in camera *	✓	Stand included	✓
Design		Cables included	HDMI, USB Type-C, AC
Market positioning *	Home	Manual	✓
Product colour *	Black	Sustainability	
Ports & interfaces		Sustainability compliance	✓
Built-in USB hub *	✓	Doesn't contain	Mercury, PVC/BFR
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Other features	
USB upstream port type	USB Type-C	Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7
Number of upstream ports	1	USB Power Delivery revision	3.0
Number of USB Type-C upstream ports quantity	1	Exterior finish type	Textured
USB Type-A downstream ports quantity	4	Picture enhancement	SmartImage game
USB Type-C DisplayPort Alternate Mode	✓	Recyclable packaging material	100%
USB Power Delivery (USB PD)	✓	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
USB Power Delivery up to	65 W	EasyRead mode	✓
HDMI *	✓	LowBlue mode	✓
HDMI ports quantity	1	Energy efficiency class (old)	G
HDMI version	1.4	Weight	4.7 kg
DisplayPorts quantity	1	Height	379 mm
DisplayPort version	1.2	Width	614 mm
Audio output	✓	Depth	52 mm
HDCP	✓	Compliance certificates	RoHS
HDCP version	1.4	Mean time between failures (MTBF)	50000 h
Ergonomics		Certification	CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003, TUV/ISO9241-307, TUV-BAUART
VESA mounting *	✓		



8712581783426

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date