NOC

AOC 24P3CV LED display 60.5~cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : AOC Product code: 24P3CV

Product name: 24P3CV

Screen size (inch) 23.8, Panel resolution 1920x1080, Refresh rate 75 Hz, Panel type IPS, USB-C connectivity USB-C 3.2×1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 1.4×1 , Display Port DisplayPort 1.4×1 , Sync technology (VRR) Adaptive Sync AOC 24P3CV. Display diagonal: 60.5 cm (23.8"), Display resolution: $1920 \times 1080 \text{ pixels}$, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black









| Display | | Ergonomics | |
|---|---|---|------------------|
| Display diagonal * | 60.5 cm (23.8") | VESA mounting * | ✓ |
| Display resolution * | 1920 x 1080 pixels | Panel mounting interface | 100 x 100 mm |
| HD type * | Full HD | Cable lock slot * | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot type | Kensington |
| Display technology * | LED | Height adjustment * | ✓ |
| Panel type * | IPS | Height adjustment | 15 cm |
| Backlight type | W-LED | Pivot | ✓ |
| Touchscreen * | × | Swivelling | ✓ |
| Display brightness (typical) | 300 cd/m ² | Swivel angle range | -180 - 180° |
| Response time * | 4 ms | Tilt angle range | -5 - 35° |
| Anti-glare screen | ✓ | On Screen Display (OSD) | ✓ |
| reen shape * Flat contrast ratio (typical) * 1000:1 contrast ratio (dynamic) 50000000:1 eximum refresh rate * 75 Hz | On Screen Display (OSD) languages | Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish | |
| Viewing angle, horizontal | 178° | Number of OSD languages | 16 |
| Viewing angle, vertical | 178° | Power | |
| Display number of colours * Pixel pitch Pixel density Display diagonal (metric) | 16.7 million colours 0.2745 x 0.2745 mm 93 ppi 60.5 cm | Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * | E E 18 kWh |
| High Dynamic Range (HDR) supported | ✓ | Energy consumption (HDR) per 1000 hours * | 18 kWh |
| Surface hardness | 3H | Power consumption (typical) * | 21 W |
| Performance | | Power consumption (standby) * | 0.5 W |
| Fast charging | 1 | Power consumption (off) | 0.3 W |
| Flicker-free technology | , | AC input voltage | 100 - 240 V |
| Low Blue Light technology | 1 | AC input frequency | 50 - 60 Hz |
| Low Dide Light technology | • | Power supply type | Internal |

| Multimedia | | Power | |
|--|-----------------------|--------------------------------------|----------------|
| Number of speakers | 2 | Energy efficiency scale | A to G |
| RMS rated power | 2 W | European Product Registry for | 1381026 |
| Built-in speaker(s) * | 1 | Energy Labelling (EPREL) code | |
| Built-in camera * | × | Weight & dimensions | |
| Design | | Weight (with stand) | 5.37 kg |
| Market positioning * | Office | Packaging data | |
| Product colour * | Black | Package width | 613 mm |
| Front bezel colour | Black | Package depth | 162 mm |
| Detachable stand | ✓ | Package height | 519 mm |
| Ports & interfaces | | Package weight | 8.31 kg |
| Built-in USB hub * | 1 | USB cable length | 1.8 m |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Packaging content | |
| USB upstream port type | USB Type-C | Cables included | AC |
| Number of upstream ports | 1 | DisplayPort cable length | 1.8 m |
| USB Type-A downstream ports quantity | 4 | HDMI cable length Power cable length | 1.8 m 1.8 m |
| USB Type-C DisplayPort Alternate | 1 | 3 | 1.6 111 |
| Mode | √ | Sustainability | |
| USB Power Delivery (USB PD) USB Power Delivery up to | ₹ 65 W | Sustainability certificates | EPEAT Silver |
| HDMI* | √ vv | Doesn't contain | PVC/BFR |
| HDMI ports quantity | 1 | Other features | |
| HDMI version | 1.4 | Compatibility | VESA-P2 |
| DisplayPorts quantity | 1 | Exterior finish type | Textured |
| DisplayPort version | 1.2 | Recyclable packaging material | 100% |
| Headphone out * | ✓ | Heavy metals free | Hg (mercury) |
| Headphone outputs | 1 | Mean time between failures (MTBF) | 70000 h |
| Headphone connectivity | 3.5 mm | Recycling data | |
| Built-in KVM switch | ✓ | Post-consumer recycled plastic | 85% |
| Network | | , , | |
| | | | |



4038986140751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.