PHILIPS

Philips Evnia 24M1N3200ZS/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : Philips

Product family: Evnia

Product code: 24M1N3200ZS/00

Product name : 24M1N3200ZS/00

Gaming Monitor 24M1N3200ZS Full HD gaming monitor

Philips Evnia 24M1N3200ZS/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

This Philips gaming monitor is a great all-around display for intense action-packed PC games. Sync technology, 165Hz and 1ms deliver smooth gameplay. Virtually frameless display with Ultra Wide-Color enhances immersive visual experience.

Philips Evnia 24M1N3200ZS/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black





Display		Ergonomics	
	60 F (22 0 ¹¹)	-	
Display diagonal *	60.5 cm (23.8")	Tilt adjustment	1
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 20°
HD type * Native aspect ratio * Display technology * Panel type * Backlight type	Full HD 16:9 LCD IPS W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	×	Plug and Play	1
Display brightness (typical)	250 cd/m²	LED indicators	Operation, Stand-by
Response time *	4 ms	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	E
Screen shape * Contrast ratio (typical) *	Flat 1100:1	Energy consumption (SDR) per 1000 hours *	18 kWh
Maximum refresh rate *	165 Hz	Power consumption (typical) *	24 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	1 ms	AC input frequency	50 - 60 Hz
Pixel pitch	0.2745 x 0.2745 mm	Power supply type	External
Pixel density	92.56 ppi	Energy efficiency scale	A to G
Horizontal scan range Vertical scan range	30 - 200 kHz 48 - 165 Hz	European Product Registry for Energy Labelling (EPREL) code	1566278
Viewable size, horizontal	52.7 cm	Operational conditions	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	60.5 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	 Image: A set of the set of the	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	ЗН	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	123.9%		

Display		Weight & dimensions	
NTSC coverage (typical)	106%	Width (with stand)	540 mm
Adobe RGB coverage	90.4%	Depth (with stand)	193 mm
Display sRGB	 Image: A start of the start of	Height (with stand)	416 mm
Performance		Weight (with stand)	3.5 kg
NVIDIA G-SYNC *	×	Width (without stand) Depth (without stand)	540 mm 43 mm
AMD FreeSync *	1	Height (without stand)	321 mm
AMD FreeSync type	FreeSync Premium	Weight (without stand)	2.4 kg
Component video sync	Separate sync	Packaging data	5
Flicker-free technology	1	Package width	600 mm
Multimedia		Package depth	164 mm
	~	Package height	526 mm
Built-in speaker(s) *	×	Package weight	5.45 kg
Built-in camera *	×	Packaging content	
Design			
Product colour *	Black	Stand included	
Ports & interfaces		Manual	1
HDMI *	1	Sustainability	
HDMI ports quantity	2	Doesn't contain	Mercury, PVC/BFR
DisplayPorts quantity	1	Other features	
Audio output	 Image: A set of the set of the	Low input lag	1
HDCP	 Image: A set of the set of the	Exterior finish type	Textured
HDCP version	2.2	Picture enhancement	SmartImage game
Ergonomics		Recyclable packaging material	100%
VESA mounting *	1	Regulatory Approvals	CB; CCC; CECP; CEL; CE Mark; FCC Class B; ICES-003
Panel mounting interface	100 x 100 mm	EasyRead mode	1
Cable lock slot *	 Image: A set of the set of the	LowBlue mode	1
Cable lock slot type	Kensington	Mean time between failures (MTBF)	50000 h
Height adjustment *	×		



8712581802714

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.