

PHILIPS

Philips Evnia 24M1N3200ZS/00 tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LCD musta

Tuotemerkki : Philips

Tuoteperhe: Evnia

Tuotekoodi: 24M1N3200ZS/00

Tuotteen nimi :
24M1N3200ZS/00

Gaming Monitor 24M1N3200ZS Full HD -pelinäyttö

Philips Evnia 24M1N3200ZS/00 tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LCD musta:

Tämä Philips-pelinäyttö sopii täydellisesti nopeatahtisten PC-pelien pelaamiseen. Synkronointitekniikka, 165 Hz ja 1 ms takaavat sujuvan pelikokemuksen. Näytön erittäin ohuet kehykset ja Ultra Wide-Color -tekniikka varmistavat visuaalisen mukaansatempaavuuden.

Philips Evnia 24M1N3200ZS/00. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt adjustment	✓
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 20°
HD type *	Full HD	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Native aspect ratio *	16:9		
Display technology *	LCD		
Panel type *	IPS		
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	Operation, Stand-by
Display brightness (typical)	250 cd/m ²	Power	
Response time *	4 ms	Energy efficiency class (SDR) *	E
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	18 kWh
Screen shape *	Flat	Power consumption (typical) *	24 W
Contrast ratio (typical) *	1100:1	Power consumption (standby) *	0.5 W
Maximum refresh rate *	165 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.7 million colours	Power supply type	External
Response time (fast)	1 ms	Energy efficiency scale	A to G
Pixel pitch	0.2745 x 0.2745 mm	European Product Registry for Energy Labelling (EPREL) code	1566278
Pixel density	92.56 ppi	Operational conditions	
Horizontal scan range	30 - 200 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 165 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	52.7 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size, vertical	29.6 cm	Operating altitude	0 - 3658 m
Display diagonal (metric)	60.5 cm	Non-operating altitude	0 - 12192 m
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		
sRGB coverage (typical)	123.9%		

Display		Weight & dimensions	
NTSC coverage (typical)	106%	Width (with stand)	540 mm
Adobe RGB coverage	90.4%	Depth (with stand)	193 mm
Display sRGB	✓	Height (with stand)	416 mm
Performance		Weight (with stand)	3.5 kg
NVIDIA G-SYNC *	✗	Width (without stand)	540 mm
AMD FreeSync *	✓	Depth (without stand)	43 mm
AMD FreeSync type	FreeSync Premium	Height (without stand)	321 mm
Component video sync	Separate sync	Weight (without stand)	2.4 kg
Flicker-free technology	✓	Packaging data	
Multimedia		Package width	600 mm
Built-in speaker(s) *	✗	Package depth	164 mm
Built-in camera *	✗	Package height	526 mm
Design		Package weight	5.45 kg
Product colour *	Black	Packaging content	
Ports & interfaces		Stand included	✓
HDMI *	✓	Manual	✓
HDMI ports quantity	2	Sustainability	
DisplayPorts quantity	1	Doesn't contain	Mercury, PVC/BFR
Audio output	✓	Other features	
HDCP	✓	Low input lag	✓
HDCP version	2.2	Exterior finish type	Textured
Ergonomics		Picture enhancement	SmartImage game
VESA mounting *	✓	Recyclable packaging material	100%
Panel mounting interface	100 x 100 mm	Regulatory Approvals	CB; CCC; CECP; CEL; CE Mark; FCC Class B; ICES-003
Cable lock slot *	✓	EasyRead mode	✓
Cable lock slot type	Kensington	LowBlue mode	✓
Height adjustment *	✗	Mean time between failures (MTBF)	50000 h



8712581802714

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date