

DELL P Series P2425E tietokoneen litteä näyttö 61,1 cm (24.1") 1920 x 1200 pikseliä WUXGA LCD musta

Tuotemerkki : DELL Tuoteperhe: P Series Tuotekoodi: DELL-P2425E

Tuotteen nimi: P2425E

DELL P Series P2425E. Näytön halkaisija: 61,1 cm (24.1"), Näytön erottelutarkkuus: 1920 x 1200 pikseliä, HD-tyyppi: WUXGA, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:10, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Ergonomics	
Display diagonal *	61.1 cm (24.1")	Pivot angle	-90 - 90°
Display resolution *	1920 x 1200 pixels	Swivelling	✓
HD type *	WUXGA	Swivel angle range	-45 - 45°
Native aspect ratio *	16:10	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	IPS	On Screen Display (OSD)	✓
LED backlight	✓	Plug and Play	✓
Backlight type	LED	LED indicators	√
Touchscreen *	×		•
Display brightness (typical)	300 cd/m ²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	D
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat 640 x 480 (VGA), 720 x 400, 800 x	Energy consumption (SDR) per 1000 hours *	15 kWh
Supported graphics resolutions	600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024	Power consumption (typical) *	15 W
		Power consumption (standby) *	0.3 W
	(SXGA), 1280 x 720 (HD 720), 1600 x 1200, 1920 x 1080 (HD 1080),	Power consumption (max)	190 W
	1920 x 1200 (WUXGA)	Power consumption (off)	0.3 W
Supported video modes	480p, 576p, 720p, 1080p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency	50/60 Hz
Maximum refresh rate *	100 Hz	Input current	2 A
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours * Response time (fast)	16.7 million colours 5 ms	European Product Registry for Energy Labelling (EPREL) code	1870769
Pixel pitch	0.27 x 0.27 mm	Operational conditions	
Pixel density	94.07 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 122 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%
	- · · · · ·	operating relative naminary (1111)	20 00,0

Display		Operational conditions	
Viewable size, horizontal	51.8 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	32.4 cm	Operating altitude	0 - 5000 m
Viewable size diagonal	61.1 cm	Non-operating altitude	0 - 12192 m
Surface hardness	3H 99%	Weight & dimensions	
sRGB coverage (typical) Dell ComfortView technology	99 ⁷⁰ ✓	Width (with stand)	531.8 mm
	•	Depth (with stand)	181.8 mm
Performance		Height (with stand)	364 mm
NVIDIA G-SYNC *	×	Weight (with stand)	5.02 kg
AMD FreeSync *	×	Width (without stand)	531.8 mm 50 mm
Flicker-free technology	✓	Depth (without stand) Height (without stand)	343.7 mm
Low Blue Light technology	✓	Weight (without stand)	3.51 kg
Windows operating systems	Windows 10, Yes	Bezel width (side)	6.7 mm
supported		Bezel width (top)	6.7 mm
Mac operating systems supported	MacOS	Bezel width (bottom)	1.3 cm
Multimedia		Packaging data	
Built-in speaker(s) *	X	Package weight	7.12 kg
Built-in camera *	×	USB cable length	1 m
Design		Packaging content	
Product colour *	Black		,
Front bezel colour	Black	Stand included	AC Divile Deal HCD
Feet colour	Grey	Cables included	AC, DisplayPort, USB
Ports & interfaces		Quick start guide	1.0
Built-in USB hub *	✓	DisplayPort cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
Number of USB Type-C upstream		Sustainability compliance	✓
ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports	3	Doesn't contain	Arsenic, Mercury, PVC/BFR
quantity		Carbon footprint	
USB Type-C downstream ports quantity	1	Total carbon footprint (kg of CO2e)	179
USB Type-C DisplayPort Alternate	./	Carbon emissions, manufacturing	87
Mode	•	(kg of CO2e) Carbon emissions, logistics (kg of	
USB Power Delivery (USB PD)	✓	CO2e)	13
USB Power Delivery up to	90 W	Carbon emissions, energy usage (kg	7.4
HDMI *	•	of CO2e)	7-7
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	5
HDMI version	1.4	Total carbon emissions, w/o use	105
DisplayPorts quantity DisplayPort version	1.4	phase (kg of CO2e)	105
Headphone out *	X	PAIA version	GaBi version 1, 2024
HDCP	^ ✓	Other features	
HDCP version		RJ-45 ports quantity	1
TIDEL VEISION	1 4		
AC (power) in	1.4	Compliance certificates	RoHS, TÜV mark
AC (power) in		Compliance certificates Brand-specific features	RoHS, TUV mark
Ergonomics	•		
Ergonomics VESA mounting *	*	Brand-specific features	RoHS, TUV mark ✓
Ergonomics VESA mounting * Panel mounting interface	•	Brand-specific features Dell Display Manager (DDM)	
Ergonomics VESA mounting *	*	Brand-specific features Dell Display Manager (DDM)	
Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot *	✓ 100 x 100 mm	Brand-specific features Dell Display Manager (DDM)	
Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type	✓ 100 x 100 mm	Brand-specific features Dell Display Manager (DDM)	
Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment *	100 x 100 mm	Brand-specific features Dell Display Manager (DDM)	
Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type	✓ 100 x 100 mm ✓ Kensington	Brand-specific features Dell Display Manager (DDM)	





5397184821688

0884116468653



884116468653

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.