



## DELL P Series P2425H computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product family:** P Series

**Product code:** DELL-P2425H

**Product name :** P2425H

- 61.0cm (24") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 250cd/m<sup>2</sup>, 1500:1

- USB, VGA, HDMI, DisplayPort

61.0cm (24") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425H computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

Stay productive. Get enhanced visual comfort and seamless connectivity with this FHD monitor, certified by TÜV for 4-star eye comfort.

DELL P Series P2425H. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	61 cm (24")	Pivot	✓
Display resolution *	1920 x 1080 pixels	Pivot angle	-90 - 90°
HD type *	Full HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
LED backlight	✓	On Screen Display (OSD)	✗
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	✓
Display brightness (typical)	250 cd/m <sup>2</sup>	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	C
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	12 kWh
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power consumption (typical) *	11.7 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1500:1	Power consumption (max)	65 W
Maximum refresh rate *	100 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.7 million colours	Input current	1.5 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density	92.53 ppi	European Product Registry for Energy Labelling (EPREL) code	1865623
Horizontal scan range	30 - 110 kHz	Operational conditions	
Vertical scan range	48 - 100 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	52.7 cm	Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%

<b>Display</b>		<b>Operational conditions</b>	
Viewable size, vertical	29.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	60.5 cm	Operating altitude	0 - 5000 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	99%	<b>Weight &amp; dimensions</b>	
Dell ComfortView technology	✓	Width (with stand)	538.6 mm
<b>Performance</b>		Depth (with stand)	181.8 mm
NVIDIA G-SYNC *	✗	Height (with stand)	364 mm
AMD FreeSync *	✗	Weight (with stand)	4.61 kg
Flicker-free technology	✓	Width (without stand)	538.6 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
Windows operating systems supported	Windows 10, Yes	Height (without stand)	314.2 mm
Mac operating systems supported	MacOS	Weight (without stand)	3.12 kg
<b>Multimedia</b>		Bezel width (side)	5.8 mm
Built-in speaker(s) *	✗	Bezel width (top)	5.8 mm
Built-in camera *	✗	Bezel width (bottom)	1.2 cm
<b>Design</b>		<b>Packaging data</b>	
Product colour *	Black	Package weight	6.78 kg
Front bezel colour	Black	USB cable length	1.8 m
Feet colour	Grey	<b>Packaging content</b>	
<b>Ports &amp; interfaces</b>		Stand included	✓
Built-in USB hub *	✓	Cables included	AC, DisplayPort, USB Type-A
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Quick start guide	✓
Number of USB Type-B upstream ports quantity	1	DisplayPort cable length	1.8 m
USB Type-A downstream ports quantity	3	HDMI cable length	1.8 m
USB Type-C downstream ports quantity	1	<b>Sustainability</b>	
USB Power Delivery	✓	Sustainability compliance	✓
USB Power Delivery up to	15 W	Sustainability certificates	TÜV mark
VGA (D-Sub) ports quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI *	✓	<b>Carbon footprint</b>	
HDMI ports quantity	1	Total carbon footprint (kg of CO2e)	155
HDMI version	1.4	Carbon emissions, manufacturing (kg of CO2e)	81
DisplayPorts quantity	1	Carbon emissions, logistics (kg of CO2e)	13
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	58
Headphone out *	✗	Carbon emissions, end-of-life (kg of CO2e)	4
HDCP	✓	Total carbon emissions, w/o use phase (kg of CO2e)	97
HDCP version	1.4	PAIA version	GaBi verison1
AC (power) in	✓	<b>Brand-specific features</b>	
<b>Ergonomics</b>		Dell Display Manager (DDM) compatibility	✓
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	15 cm		



5397184821701

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-NOV-2024. Prints or copies of Information are only valid on the printed Publication date