



DELL P Series P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: DELL-P2725HE

Product name : P2725HE

- 68.6cm (27") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m², 1500:1

- USB, HDMI, DisplayPort

68.6cm (27") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Connect to productivity. Certified by TÜV for 4-star eye comfort, this 27-inch FHD hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL P Series P2725HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✓
Backlight type	LED
Touchscreen *	✗
Display brightness (typical)	300 cd/m ²
Response time *	8 ms
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81.57 ppi
Horizontal scan range	30 - 110 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	59.8 cm

Ergonomics

Cable management	✓
Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✓
Height adjustment	15 cm
Pivot	✓
Pivot angle	-90 - 90°
Swivelling	✓
Swivel angle range	-45 - 45°
Tilt adjustment	✓
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✓
Plug and Play	✓
LED indicators	✓

Power

Power consumption (typical) *	16.2 W
Power consumption (standby) *	0.4 W
Power consumption (max)	180 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2 A
European Product Registry for Energy Labelling (EPREL) code	1874340

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C

Display		Operational conditions	
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	68.6 cm	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Dell ComfortView technology	✓	Weight & dimensions	
Performance		Width (with stand)	610.7 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	192.3 mm
AMD FreeSync *	✗	Height (with stand)	384.6 mm
Flicker-free technology	✓	Weight (with stand)	6.01 kg
Low Blue Light technology	✓	Width (without stand)	610.7 mm
Windows operating systems supported	Windows 10, Yes	Depth (without stand)	50 mm
Mac operating systems supported	MacOS	Height (without stand)	354.7 mm
Multimedia		Weight (without stand)	4.36 kg
Built-in speaker(s) *	✗	Bezel width (side)	6.4 mm
Built-in camera *	✗	Bezel width (top)	6.4 mm
Design		Bezel width (bottom)	1.2 cm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package weight	8.67 kg
Feet colour	Grey	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	✓
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	3	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Type-C downstream ports quantity	1	Carbon footprint	
USB Type-C DisplayPort Alternate Mode	✓	Total carbon footprint (kg of CO2e)	207
USB Power Delivery (USB PD)	✓	Carbon emissions, manufacturing (kg of CO2e)	102
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of CO2e)	16
HDMI *	✓	Carbon emissions, energy usage (kg of CO2e)	80
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	9
HDMI version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	127
DisplayPorts quantity	2	PAIA version	GaBi version 1, 2024
DisplayPort version	1.4	Other features	
Headphone out *	✗	RJ-45 ports quantity	1
HDCP	✓	Compliance certificates	RoHS, TÜV mark
HDCP version	1.4	Brand-specific features	
AC (power) in	✓	Dell Display Manager (DDM) compatibility	✓
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



5397184821763



0884116468769



884116468769

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.