


Display		Operational conditions	
Viewable size, vertical	32.4 cm	Operating altitude	0 - 5000 m
Viewable size diagonal	61.1 cm	Non-operating altitude	0 - 12192 m
Display diagonal (metric)	61 cm	Weight & dimensions	
Surface hardness	3H	Width (with stand)	531.8 mm
sRGB coverage (typical)	99%	Depth (with stand)	181.8 mm
Dell ComfortView technology	✓	Height (with stand)	364 mm
Performance		Weight (with stand)	4.66 kg
NVIDIA G-SYNC *	✗	Width (without stand)	531.8 mm
AMD FreeSync *	✗	Depth (without stand)	50 mm
Flicker-free technology	✓	Height (without stand)	343.7 mm
Windows operating systems supported	Windows 10, Yes	Weight (without stand)	3.15 kg
Mac operating systems supported	MacOS	Bezel width (side)	6.7 mm
Multimedia		Bezel width (top)	6.7 mm
Built-in speaker(s) *	✗	Bezel width (bottom)	1.3 cm
Built-in camera *	✗	Packaging data	
Design		Package weight	6.75 kg
Product colour *	Black	USB cable length	1.8 m
Front bezel colour	Black	Packaging content	
Feet colour	Grey	Stand included	✓
Ports & interfaces		Cables included	DisplayPort, HDMI, USB
Built-in USB hub *	✓	Quick start guide	✓
Number of upstream ports	1	DisplayPort cable length	1.8 m
Number of USB Type-B upstream ports quantity	1	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability compliance	✓
USB Power Delivery (USB PD)	✓	Sustainability certificates	ENERGY STAR, TCO
USB Power Delivery up to	15 W	Doesn't contain	Arsenic, Mercury, PVC/BFR
VGA (D-Sub) ports quantity	1	Carbon footprint	
HDMI *	✓	Total carbon footprint (kg of CO2e)	162
HDMI ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	79
HDMI version	1.4	Carbon emissions, logistics (kg of CO2e)	13
DisplayPorts quantity	1	Carbon emissions, energy usage (kg of CO2e)	67
DisplayPort version	1.2	Carbon emissions, end-of-life (kg of CO2e)	4
Headphone out *	✗	Total carbon emissions, w/o use phase (kg of CO2e)	95
HDCP	✓	PAIA version	GaBi version 1, 2024
HDCP version	1.4	Other features	
AC (power) in	✓	Compliance certificates	RoHS, TÜV mark
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM) compatibility	✓
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		



5397184821671



0884116468639



884116468639

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.