NOC

AOC B3 Q27B3CF2 tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD musta

Tuotemerkki : AOC Tuoteperhe: B3 Tuotekoodi: Q27B3CF2

Tuotteen nimi: Q27B3CF2

AOC B3 Q27B3CF2. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HDtyyppi: Quad HD, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal * Display resolution *	68.6 cm (27") 2560 x 1440 pixels	USB Type-C downstream ports quantity	1
HD type * Native aspect ratio *	Quad HD 16:9	USB Type-C DisplayPort Alternate Mode	✓
Panel type *	IPS	USB Power Delivery (USB PD) USB Power Delivery up to	✓ 65 W
LED backlight Backlight type	✓ W-LED	HDMI *	05 W ✓
Touchscreen *	×	HDMI ports quantity HDMI version Headphone out *	1 2.0 •
Display brightness (typical) Response time *	350 cd/m² 1 ms		
Anti-glare screen Screen shape *	✓ Flat	Headphone outputs Headphone connectivity	1 3.5 mm
Contrast ratio (typical) *	1500:1	HDCP HDCP version AC (power) in	✓ 2.2 ✓
Contrast ratio (dynamic) Maximum refresh rate *	20000000:1 100 Hz		
Viewing angle, horizontal	178°	Ergonomics	
Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Horizontal scan range Vertical scan range Display diagonal (metric) DDC/CI Haze rate Surface hardness	178° 16.7 million colours 0.2331 x 0.2331 mm 109 ppi 30 - 115 kHz 48 - 100 Hz 68.6 cm ✓ 25% 3H	VESA mounting * Panel mounting interface Cable lock slot type Height adjustment * Height adjustment Tilt adjustment Tilt angle range Plug and Play LED indicators	✓ 100 x 100 mm Kensington ✓ 11 cm ✓ -5 - 25° ✓ Operation, Stand-by
Colour gamut standard	sRGB	Power	
Colour gamut sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage	99% 120.8% 105.3% 103.5%	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off)	35 W 0.5 W 135 W 0.3 W

Display		Power	
BT.2020 coverage	70.1%	AC input voltage	100 - 240 V
Performance		AC input frequency	50/60 Hz
VESA Adaptive Sync support	1	Power supply type	Internal
Flicker-free technology	√	Weight & dimensions	
Low Blue Light technology	·	Width (with stand)	616.6 mm
	•	Depth (with stand)	229.8 mm
Multimedia		Height (with stand)	508.6 mm
Number of speakers	2	Weight (with stand)	5.51 kg
RMS rated power	4 W	Width (without stand)	616.6 mm
Built-in speaker(s) *	✓	Depth (without stand)	45.6 mm
Built-in camera *	×	Height (without stand)	356.7 mm
Design		Weight (without stand)	3.97 kg
Market positioning *	Home	Packaging data	
Product colour *	Black	Package width	820 mm
Front bezel colour	Black	Package depth	162 mm
Detachable stand	√	Package height	481 mm
Doubs C intenferen		Package weight	8.62 kg
Ports & interfaces		Package type	Box
Built-in USB hub *	✓	Packaging content	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Stand included	✓
USB Type-A downstream ports quantity	2	Cables included	AC, HDMI, USB Type-C to USB Type-C
		HDMI cable length	1.5 m
		Other features	
		Compatible operating systems	Windows 8.1/10/11, MacOS

