SAMSUNG

Samsung S60D tietokoneen litteä näyttö 81,3 cm (32") 2560 x 1440 pikseliä Quad HD LCD musta

Tuotemerkki : Samsung

Tuoteperhe: ViewFinity

Tuotekoodi: LS32D600EAUXEN

Tuotteen nimi : S60D

Samsung S60D. Näytön halkaisija: 81,3 cm (32"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HDtyyppi: Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USBkeskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display

Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Height adjustment	12 cm
Display resolution *	2560 x 1440 pixels	Pivot	1
HD type *	Quad HD	Pivot angle	-30 - 30°
Native aspect ratio *	16:9	Swivelling	1
Display technology *	LCD	Swivel angle range	-92 - 92°
Panel type *	IPS	Tilt adjustment	1
Touchscreen *	×	Tilt angle range	-2 - 25°
Display brightness (typical)	350 cd/m ²	Picture-in-Picture	1
Display brightness (min)	280 cd/m ²	-	
Response time *	5 ms	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	G
Dynamic contrast ratio marketing name	Mega Contrast	Energy consumption (SDR) per 1000 hours *	⁾ 22 kWh
Maximum refresh rate * Viewing angle, horizontal	100 Hz 178°	Energy consumption (HDR) per 1000 hours *	36 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	22 W
Display number of colours *	1.07 billion colours	Power consumption (standby) st	0.5 W
Viewable size, horizontal	69.8 cm	Power consumption (max)	80 W
Viewable size, vertical	39.3 cm	Power consumption (off)	0.3 W
Display diagonal (metric)	80 cm	AC input voltage	100 - 240 V
High Dynamic Range (HDR)	1	Power supply type	Internal
supported	•	Energy efficiency scale	A to G
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	European Product Registry for Energy Labelling (EPREL) code	1946427
sRGB coverage (typical)	99%	Operational conditions	
Performance		Operating temperature (T-T)	10 - 40 °C
NVIDIA G-SYNC *	×	Operating relative humidity (H-H)	10 - 80%
AMD FreeSync *	×	Weight & dimensions	
Flicker-free technology	1	Width (with stand)	713.9 mm
Multimedia		Depth (with stand)	220 mm
Built-in speaker(s) *	×	Height (with stand)	585 mm
Built-in camera *	×	Weight (with stand)	7.2 kg
		Width (without stand)	713.9 mm
		Depth (without stand)	41.8 mm

DesignWeight & dimensionsMarket positioning*ProfessionalHeight (without stand)424.7 mmProduc colour*BlackWeight (without stand)4.7 kgPrete colourBlackPackaging data4.7 kgPortes interfacesStand typeMass and9.8 kgBuilt-in USB hub*2.9 Cen 1 (3.1 Gen 1)Package width546 nmUSB upstream port typeUSB Type-BPackage weight9.2 kgUSB type-A downstream ports1Package weight9.2 kgUSB Type-A downstream ports2Package meidentUSB Type-A downstream ports2Stand includedHDMI *.Calles includedHDMI version2.0Package leight1.5 mDisplayPort version1.4Calles includedBHDP version1.4Staniability certificatesToODisplayPort version2.0PacteresStaniability certificatesHDCP2.0Staniability certificatesToOHDCP2.0Staniability certificatesToOHDCP version2.0Staniability certificatesStaniability certificatesHDCP versi				
Product colour*BlackWeight (without stand)4.7 kgProduct colourBlackPackaging dataPetet colourBlackPackaging dataPorts & interfacesStand typeHAS standBuilt-in USB hub*Package width798 mmUSB hub version3.2 Gen 1 (3.1 Gen 1)Package depth546 mmUSB upstream port typeUSB Type-BPackage weight9.2 kgUSB type-A downstream ports1Package weight9.2 kgUSB Type-A downstream ports2Packaging content2HDMI*Cables includedHDMI version2.0Power cable length1.5 mDisplayPort squantity1Stand includedStandinbilityHDMI version1.4Sutainability certificatesTOOHDCPStaniability certificatesTOOHDCP version2.2Picture-by-Picture (PbP)HDCP version2.2Samsung Eye Saver ModeHDCP versionMage sizeVESA mounting *Adaptive pictureVESA mounting interface100 x 100 mmOff Timer PlusAube lock slot *Auto source switch+	Design		Weight & dimensions	
Ports & interfaces Stand type HAS stand Built-in USB hub * ✓ Package width 798 mm USB hub version 3.2 Gen 1 (3.1 Gen 1) Package width 546 mm USB hub version 3.2 Gen 1 (3.1 Gen 1) Package depth 546 mm USB upstream port type USB Type-B Package depth 160 mm Number of upstream ports 1 Package weight 9.2 kg USB Type-A downstream ports 2 Stand included ✓ HDMI * ✓ Stand included ✓ HDMI version 2.0 Power cable length 1.5 m DisplayPorts quantity 1 Sustainability 1.5 m DisplayPort version 1.4 Sustainability certificates TCO HDCP ✓ Other features ✓ HDCP version 2.2 Picture-by-Picture (PbP) ✓ Service port type USB Type-A Samsung Eye Saver Mode ✓ HDCP version ✓ Adaptive picture ✓ VESA mounting * ✓ Adaptiv				
Built-in USB hub *·Package width798 mmBuilt-in USB hub version3.2 Gen 1 (3.1 Gen 1)Package width546 mmUSB bub version0.58 Type-BPackage depth160 mmNumber of upstream ports1Package weight9.2 kgUSB Type-A downstream ports1Package weight9.2 kgUSB Type-A downstream ports2Package meight60 mmUSB Type-A downstream ports1Stand included·HDMI *·Cables includedAC, HDMI, USB Type-A to USB Type BHDMI version2.0Power cable length1.5 mDisplayPorts quantity1Statiability1.5 mDisplayPort version1.4Sustainability certificatesTCOHDCP··Sustainability certificatesTCOHDCP version2.2Picture-by-Picture (PbP)·Service port typeUSB Type-ASamsung Eye Saver Mode·Ergonomics·Image size··VESA mounting interface100 x 100 mmOff Timer Plus·Auto source switch +·Auto source switch +·	Feet colour	Black	Packaging data	
USB hub version3.2 Gen 1 (3.1 Gen 1)Package depth546 mmUSB upstream port typeUSB Type-BPackage height160 mmNumber of upstream ports1Package weight9.2 kgUSB Type-A downstream ports2Packaging content9.2 kgUSB Type-A downstream ports2Stand includedHDMI*Cables includedHDMI ports quantity1Cables includedAC, HDMI, USB Type-A to USB Type-AHDMI version2.0Power cable length1.5 mDisplayPorts quantity1Statianability1.5 mHDADP version1.4Sustainability certificatesTCOHDCPOther featuresHDCP version2.2Picture-by-Picture (PbP)HDCP version2.2Samsung Eye Saver ModeHDCP versionMage sizeHDCP versionMage sizeVESA mounting *Adaptive pictureVESA mounting * </td <td>Ports & interfaces</td> <td></td> <td>Stand type</td> <td>HAS stand</td>	Ports & interfaces		Stand type	HAS stand
USB upstream port typeUSB Type-BPackage height160 mmNumber of upstream ports1Package weight9.2 kgQUSB Type-A downstream ports2Packaging content9.2 kgHDMI*Stand includedHDMI *Cables includedAC, HDMI, USB Type-A to USB TypeHDMI version2.0Power cable length1.5 mDisplayPorts quantity1Sustainability1.5 mHDMP version1.4SustainabilityTCOHDCPOther featuresHDCPSistainability certificatesTCOHDCPUSB Type-APicture-by-Picture (PbP)Service port typeUSB Type-AManuel Adaptive pictureVESA mounting *Adaptive pictureVESA mounting interface100 x 100 mmOff Timer PlusAuto source switch+Auto source switch+	Built-in USB hub *	1	Package width	798 mm
Number of upstream ports1Package weight9.2 kgNumber of upstream ports1Packaging content9.2 kgUSB Type-A downstream ports2Fackaging content*********************************	USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	546 mm
Number of ported in portsImage of the portsPackaging contentUSB Type-A downstream ports quantity2Stand includedHDMI *Stand includedHDMI ports quantity1Cables includedAC, HDMI, USB Type-A to USB Type BHDMI version2.0Power cable length1.5 mDisplayPorts quantity1SustainabilityI.5 mDisplayPort version1.4Sustainability certificatesTCOHDCPOther featuresHDCP version2.2Picture-by-Picture (PbP)Service port typeUSB Type-ASamsung Eye Saver ModeErgonomicsMage sizeVESA mounting *Adaptive pictureNo x 100 mmOff Timer PlusAdaptive switch+Auto source switch+	USB upstream port type	USB Type-B	Package height	160 mm
quantity2Action of the second of the s	Number of upstream ports	1	Package weight	9.2 kg
HDMI*ConstructionAC, HDMI, USB Type-A to USB Type BHDMI ports quantity1Power cable length1.5 mDisplayPorts quantity1Sustainability1.5 mDisplayPort version1.4Sustainability certificatesTCOHDCP✓Other featuresTCOHDCP version2.2Picture-by-Picture (PbP)✓Service port typeUSB Type-ASamsung Eye Saver Mode✓ErgonomicsIoo x 100 mmOff Timer Plus✓VESA mounting interface100 x 100 mmOff Timer Plus✓Auto source switch+✓Auto source switch+✓	<u>, , , , , , , , , , , , , , , , , , , </u>	2		
HDMi ports quantityICables includedBAAAHDMI version2.0Power cable length1.5 mDisplayPorts quantity1Sustainability1.5 mDisplayPort version1.4SustainabilityTCOHeadphone out *✓✓Sustainability certificatesTCOHDCP✓✓Other features✓HDCP version2.2Picture-by-Picture (PbP)✓✓Service port typeUSB Type-ASamsung Eye Saver Mode✓Frgonomics✓Madpitve picture✓VESA mounting *✓Adaptive picture✓Panel mounting interface100 x 100 mmOff Timer Plus✓Auto source switch+✓Auto source switch+✓	HDMI *	1	Stand included	1
DisplayPorts quantity1Power cable length1.5 mDisplayPorts quantity1SustainabilityI.5 mDisplayPort version1.4SustainabilityTCOHeadphone out *✓Sustainability certificatesTCOHDCP✓Other features✓HDCP version2.2Picture-by-Picture (PbP)✓Service port typeUSB Type-ASamsung Eye Saver Mode✓Fegonomics✓Adaptive picture✓VESA mounting *✓Adaptive picture✓Panel mounting interface100 x 100 mmOff Timer Plus✓Auto source switch+✓Auto source switch+✓	,	-	Cables included	AC, HDMI, USB Type-A to USB Type- B
DisplayPort version1.4SustainabilityHeadphone out *✓Sustainability certificatesTCOHDCP✓Other featuresTCOHDCP version2.2Picture-by-Picture (PbP)✓Service port typeUSB Type-ASamsung Eye Saver Mode✓Frgonomics✓Image size✓VESA mounting *✓Adaptive picture✓Panel mounting interface100 x 100 mmOff Timer Plus✓Auto source switch+✓Auto source switch+✓			Power cable length	1.5 m
Headphone out *·Sustainability certificatesTCOHDCP·Other featuresHDCP version2.2Picture-by-Picture (PbP)·Service port typeUSB Type-ASamsung Eye Saver Mode·ErgonomicsImage size··VESA mounting *·Adaptive picture·Panel mounting interface100 x 100 mmOff Timer Plus·Auto source switch +·Auto source switch +·			Sustainability	
HDCP version2.2Picture-by-Picture (PbP)✓Service port typeUSB Type-ASamsung Eye Saver Mode✓ErgonomicsImage size✓VESA mounting *✓Adaptive picture✓Panel mounting interface100 x 100 mmOff Timer Plus✓Cable lock slot *✓Auto source switch+✓			Sustainability certificates	ТСО
Service port typeUSB Type-ASamsung Eye Saver ModeImage sizeErgonomicsImage sizeImage sizeImage sizeVESA mounting *Image sizeImage sizeImage sizePanel mounting interface100 x 100 mmOff Timer PlusImage sizeCable lock slot *Image sizeImage sizeImage size	HDCP	1	Other features	
ErgonomicsImage sizeVESA mounting *Ino x 100 mmOff Timer PlusCable lock slot *	HDCP version	2.2	Picture-by-Picture (PbP)	1
VESA mounting * ✓ Adaptive picture ✓ Panel mounting interface 100 x 100 mm Off Timer Plus ✓ Cable lock slot * ✓ Auto source switch+ ✓	Service port type	USB Type-A	Samsung Eye Saver Mode	1
Panel mounting interface100 x 100 mmOff Timer PlusCable lock slot *Auto source switch+	Ergonomics		Image size	✓
Cable lock slot * Auto source switch+	VESA mounting *	J.	Adaptive picture	<i>✓</i>
	Panel mounting interface	100 x 100 mm	Off Timer Plus	1
Height adjustment * Certification Windows 11	Cable lock slot *	✓	Auto source switch+	1
	Height adjustment *	✓	Certification	Windows 11



8806095524672

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.