



DELL 3000 2 GHz Wyse ThinOS 1,1 kg musta N6005

Tuotemerkki : DELL

Tuotekoodi: 61FX0

Tuotteen nimi : 3000

DELL 3000. Prosessorin taajuus: 2 GHz, Suoritinvalmistaja: Intel, Suoritinperhe: Intel® Pentium® Silver. Sisäinen muisti: 8 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin kellotaajuus: 2933 MHz. Kokonaistallennuskapasiteetti: 64 GB, Tallennusmedia: eMMC. Kiinteän GPU:n valmistaja: Intel, Sisältyvän näytönohjaimen malli: Intel® UHD Graphics. Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s



Processor		Ports & interfaces	
Processor frequency *	2 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Processor manufacturer *	Intel	Combo headphone/mic port	✓
Processor family	Intel® Pentium® Silver	DC-in jack	✓
Processor model	N6005	DisplayPorts quantity	2
Processor cores	4	Design	
Processor boost frequency	3.3 GHz	Product colour *	Black
Processor cache	4 MB	VESA mounting	✓
Memory		Cable lock slot type	Kensington
Internal memory *	8 GB	Display	
Internal memory type	DDR4-SDRAM	Display included *	✗
Memory clock speed	2933 MHz	Software	
Memory slots	2x SO-DIMM	Operating system installed *	Wyse ThinOS
Memory layout (slots x size)	1 x 8 GB	Trusted Platform Module (TPM)	✓
Maximum internal memory	16 GB	Power	
Storage		Power supply	65 W
Total storage capacity *	64 GB	AC input voltage	100 - 240 V
Storage media *	eMMC	AC input frequency	50/60 Hz
Graphics		Operational conditions	
On-board graphics card	✓	Operating temperature (T-T)	10 - 40 °C
On-board GPU manufacturer	Intel	Storage temperature (T-T)	-40 - 65 °C
On-board graphics card model	Intel® UHD Graphics	Operating relative humidity (H-H)	20 - 80%
Network		Storage relative humidity (H-H)	5 - 95%
Wi-Fi *	✓	Operating altitude	-15.2 - 3048 m
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)	Non-operating altitude	-15.2 - 10668 m
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)		

Network		Weight & dimensions	
Ethernet LAN *	✓	Width	36 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Depth	178 mm
Cabling technology	10/100/1000Base-T(X)	Height	182 mm
Bluetooth	✓	Weight	1.1 kg
Ports & interfaces		Packaging content	
Ethernet LAN (RJ-45) ports *	1	Cables included	AC
USB 2.0 ports quantity *	3		



5397184899489

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date