



# DELL 3000 2 GHz Wyse ThinOS 1.1 kg Black N5105

Brand : DELL

Product code: JV330

Product name : 3000

DELL 3000. Processor frequency: 2 GHz, Processor manufacturer: Intel, Processor family: Intel® Celeron® N. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM, Memory clock speed: 2933 MHz. Total storage capacity: 64 GB, Storage media: eMMC. On-board GPU manufacturer: Intel, On-board graphics card model: Intel® UHD Graphics. Top Wi-Fi standard: Wi-Fi 6 (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Ethernet LAN data rates: 10,100,1000 Mbit/s



<b>Processor</b>		<b>Ports &amp; interfaces</b>	
Processor frequency *	2 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Processor manufacturer *	Intel	Combo headphone/mic port	✓
Processor family	Intel® Celeron® N	DC-in jack	✓
Processor model	N5105	DisplayPorts quantity	2
Processor cores	4	<b>Design</b>	
Processor boost frequency	2.9 GHz	Product colour *	Black
Processor cache	4 MB	VESA mounting	✓
<b>Memory</b>		Cable lock slot type	Kensington
Internal memory *	8 GB	<b>Display</b>	
Internal memory type	DDR4-SDRAM	Display included *	✗
Memory clock speed	2933 MHz	<b>Software</b>	
Memory slots	2x SO-DIMM	Operating system installed *	Wyse ThinOS
Memory layout (slots x size)	1 x 8 GB	Trusted Platform Module (TPM)	✓
Maximum internal memory	16 GB	<b>Power</b>	
<b>Storage</b>		Power supply	65 W
Total storage capacity *	64 GB	AC input voltage	100 - 240 V
Storage media *	eMMC	AC input frequency	50/60 Hz
<b>Graphics</b>		<b>Operational conditions</b>	
On-board graphics card	✓	Operating temperature (T-T)	10 - 40 °C
On-board GPU manufacturer	Intel	Storage temperature (T-T)	-40 - 65 °C
On-board graphics card model	Intel® UHD Graphics	Operating relative humidity (H-H)	20 - 80%
<b>Network</b>		Storage relative humidity (H-H)	5 - 95%
Wi-Fi *	✓	Operating altitude	-15.2 - 3048 m
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)	Non-operating altitude	-15.2 - 10668 m
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)		
Ethernet LAN *	✓		

Network		Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Width	36 mm
Cabling technology	10/100/1000Base-T(X)	Depth	178 mm
Bluetooth	✓	Height	182 mm
<b>Ports &amp; interfaces</b>		Weight	1.1 kg
Ethernet LAN (RJ-45) ports *	1	Packaging content	
USB 2.0 ports quantity *	3	Cables included	AC



5397184899427

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-NOV-2024. Prints or copies of Information are only valid on the printed Publication date