

Philips E-Line 75BDL3152E Digitaalinen litteä infotaulu 190,5 cm (75") 350 cd/m² 4K Ultra HD musta Kosketusnäyttö

Sisäänrakennettu prosessori Android 16/7



Tuotemerkki : Philips

Tuotekoodi: 75BDL3152E/00

Tuotteen nimi : E-Line 75BDL3152E

Philips E-Line 75BDL3152E. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 190,5 cm (75"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 350 cd/m², HD-tyyppi: 4K Ultra HD, Kosketusnäyttö. Toiminta-aika (tunteja/päiviä): 16/7. Käyttöjärjestelmä asennettu: Android. Tuotteen väri: musta

Display		Design	
Panel type	ADS	Panel mounting interface	800 x 400 mm
Display diagonal *	190.5 cm (75")	Performance	
Display resolution *	3840 x 2160 pixels	Purpose *	Universal
Display brightness *	350 cd/m ²	On Screen Display (OSD)	✓
HD type *	4K Ultra HD	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Touchscreen *	✓	Operating hours (hours/days)	16/7
Touchscreen technology	Infrared	Mean time between failures (MTBF)	50000 h
Number of simultaneous touchpoints	40	Power	
Multi-touch	✓	Power consumption (standby) *	0.5 W
Native aspect ratio	16:9	Energy efficiency class (SDR)	G
Response time	8 ms	AC input voltage	100 - 240 V
Contrast ratio (typical)	1200:1	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical	178°	Computer system *	✓
Display number of colours	1.07 billion colours	Computer system type	System on Chip (SoC)
Pixel pitch	0.4296 x 0.4296 mm	Built-in processor *	✓
Display diagonal (metric)	189.3 cm	Processor model	A55
Ports & interfaces		Internal memory	4 GB
HDMI ports quantity *	2	On-board graphics card model	ARM Mali-G52
HDMI version	2.0	Internal storage capacity	32 GB
DVI port *	✗	Operating system installed	Android
VGA (D-Sub) input ports	1	Operating system version	13
USB port *	✓	Video formats supported	H.263, H.264, H.265, MPEG1, MPEG2, MPEG4, VP9
USB ports quantity	8	Audio formats supported	AAC, HE-AAC, MPEG
USB connector type	USB Type-A, USB Type-C	Image formats supported	BMP, JPEG, PNG
USB 2.0 Type-B ports quantity	3	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Display width	1709 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Display depth	88 mm
USB Power Delivery (USB PD)	✓	Display height	1020 mm
USB Power Delivery up to	65 W	Packaging content	
Ethernet LAN *	✓	Remote control included	✓
Ethernet LAN (RJ-45) ports	2	Batteries included	✓
RS-232C	✓	Stylus pen	✓
Remote (IR) input	1	Number of stylus pens	1
Remote (IR) output	1	Cables included	AC, DVI, HDMI, IR sensor, RS-232, USB
Card reader integrated	✓		
Compatible memory cards	MicroSD (TransFlash)		
OPS module slot	✓		

Audio		Operational conditions	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
Number of built-in speakers	2	Operating relative humidity (H-H)	10 - 90%
RMS rated power	32 W	Storage temperature (T-T)	-20 - 60 °C
Design		Storage relative humidity (H-H)	10 - 90%
Product design *	Digital signage flat panel	Certificates	
Orientation	Horizontal/Vertical	Certification	CE, FCC, Class A, RoHS, CB, EAC, EMF, ETL
Product colour *	Black	Technical details	
Screen shape	Flat	720 x 400 70Hz 832 x 624 75Hz	
VESA mounting *	✓	1440 x 900 60Hz 1600 x 900 60Hz	
		1680 x 1050 60Hz 1920 x 1080	
		60Hz 1024 x 768 60Hz 1152 x 870	
		75Hz 1280 x 1024 60Hz 1280 x 720	
		60Hz 3840 x 2160 30, 60Hz 640 x	
		480 60,67,75Hz 800 x 600 60Hz	



8712581806071

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date