îiyama

iiyama ProLite T2234MSC-B1S computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD Touchscreen Black

Product name: T2234MSC-

B1S

iiyama ProLite T2234MSC-B1S. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920×1080 pixels, HD type: Full HD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). VESA mounting. Product colour: Black







Display		Design	
Display diagonal *	54.6 cm (21.5")	Glass thickness	2.5 mm
Display resolution *	1920 x 1080 pixels	Ports & interfaces	
HD type * Native aspect ratio * Panel type * Touchscreen * Touchscreen technology	Full HD 16:9 IPS Projected capacitive system	VGA (D-Sub) ports quantity HDMI * HDMI ports quantity DisplayPorts quantity HDCP	1 1 1 1
Touch technology Number of simultaneous	Multi-touch	Ergonomics	
touchpoints Display brightness (peak) Display brightness (typical) Response time * Screen shape * Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Viewable size, horizontal Viewable size, vertical Surface hardness	10 350 cd/m² 305 cd/m² 8 ms Flat 1000:1 178° 178° 16.7 million colours 0.247 x 0.247 mm 30 - 84 kHz 47.6 cm 26.8 cm 7H	VESA mounting * Panel mounting interface Cable management Height adjustment * Tilt adjustment Tilt angle range Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) Power supply type	100 x 100 mm
Performance		European Product Registry for	
NVIDIA G-SYNC * AMD FreeSync * Palm rejection	× ×	Energy Labelling (EPREL) code Weight & dimensions Width (with stand)	1531684 517.5 mm
Multimedia		Depth (with stand)	239.5 mm
Number of speakers RMS rated power	2 6 W	Height (with stand) Weight (with stand)	374 mm 5.9 kg
Built-in speaker(s) * Built-in camera *	✓	Packaging content	
	×	Cables included	Audio, DisplayPort, HDMI, Power, USB

 Design
 Other features

 Product colour *
 Black
 International Protection (IP) code
 IP65



4948570122226

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.