ASUS

ASUS RT-AX57 Go langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) Valkoinen

Tuotemerkki : ASUS

Tuotekoodi: 90IG08N0-MU9C00

Tuotteen nimi : RT-AX57 Go

ASUS RT-AX57 Go. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), WLAN-tiedonsiirtonopeus (maks.): 2402 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, VPN-tuki: Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server.... Tietoturva-algoritmit: IPSec, SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-PSK, WPS. Tuotetyyppi: Kannettava reititin, Tuotteen väri: Valkoinen. Sisältää johdot: LAN (RJ-45)

WAN connection

Ethernet WAN *	✔
SIM card slot *	✘
3G/4G USB modem compatibility *	✔

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max) *	2402 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	574 Mbit/s
WLAN data transfer rate (second band)	2402 Mbit/s

Network

Ethernet LAN *	✔
Ethernet LAN interface type *	Gigabit Ethernet
Port forwarding	✔
Port triggering	✔
Dynamic DNS (DDNS)	✔
Media server	✔
VPN support	Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion Support Surfshark Support Nord VPN

Ports & interfaces

Ethernet LAN (RJ-45) ports *	2

Security

DMZ support	✔

Protocols

DHCP server	✔

Design

Product colour	White
Wall mountable	✔
Indication light	✔
Product type *	Portable router

Packaging content

Cables included	LAN (RJ-45)
AC adapter included	✔
Warranty card	✔
Quick start guide	✔

Antenna

Antenna design *	Internal
Antennas quantity	5

Features

Built-in processor	✔
Processor frequency	1300 MHz
Processor cores	2
Internal memory	512 MB
Flash memory	128 MB
Number of simultaneously connected devices (max)	70
Works with the Google Assistant	✔

Ports & interfaces

USB port *	✔
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1

Management features

Quality of Service (QoS) support	✔
Reset button	✔
MU-MIMO technology	✔

Security

Security algorithms	IPSec, SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-PSK, WPS
Firewall	✔
MAC address filtering	✔
System event log	✔

Power

Power source type *	DC, USB
Output voltage	9 V
Output current	2 A

Weight & dimensions

Width	120 mm
Depth	120 mm
Height	21.5 mm
Weight	210 g

Packaging data

Package width	175 mm
Package depth	187 mm
Package height	57 mm
Package weight	500 g
Package type	Box

4711387193792