

Samsung WA65D interactive whiteboard 165.1 cm (65") 3840 x 2160 pixels Touchscreen Grey

Brand : Samsung

Product family: WAD series

Product code:
LH65WADWLGXEN

Product name : WA65D



Samsung WA65D. Display diagonal: 165.1 cm (65"), Display brightness: 400 cd/m², Display resolution: 3840 x 2160 pixels. Operating system installed: Android, Maximum internal memory: 64 GB. Microphone connectivity: 3.5 mm. Product colour: Grey, Panel mounting interface: 600 x 400 mm, Certification: Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020,EN 55035:2017/A11:2020.... Operating hours (hours/days): 12/7

Display		Ports & interfaces	
Display diagonal *	165.1 cm (65")	RS-232 ports	2
Display brightness	400 cd/m ²	IR input port	✓
Display resolution	3840 x 2160 pixels	Video out	Yes
HD type	4K Ultra HD	Ergonomics	
Panel type	ADS	Product colour	Grey
Native aspect ratio	16:9	VESA mounting	✓
Contrast ratio (typical)	1200:1	Panel mounting interface	600 x 400 mm
Response time	8 ms	Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020,EN 55035:2017/A11:2020 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3 IEC 62368-1 Edtion 3&IEC 60950-1 UL62368-1 edition 3 GB4943.1-2022 PSB+ IEC 62368-1 NOM-019 K 62368 IRAM+ IEC 62368-1 EAC+ IEC 62368-1 INMETRO+ IEC 62368-1 SASO+ IEC 62368-1 BSMI+ IEC 62368-1 IEC 62368-1/AS/NZS 62368-1 IEC60950-1 / IS13252	
Touchscreen *	✓		
Touch technology	Multi-touch		
Touchscreen type	Infrared		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Pixel pitch	372 x 372 mm		
Colour gamut	72%		
Maximum pixel clock	78 MHz		
Haze rate	25%		
Computer system		Performance	
Operating system installed	Android	Operating hours (hours/days)	12/7
Operating system version	13	Power	
Maximum internal memory	64 GB	Power consumption (typical)	385 W
Projector		Power consumption (sleep)	0.5 W
Built-in projector *	✗	AC input voltage	100 - 240 V
Network		AC input frequency	50/60 Hz
Wi-Fi	✓	Operational conditions	
Bluetooth	✓	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN	✓	Operating relative humidity (H-H)	10 - 90%
Ports & interfaces		Weight & dimensions	
HDCP	✓	Width *	1488 mm
HDCP version	2.1	Depth	88 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
USB 2.0 ports quantity	1		

Ports & interfaces		Weight & dimensions	
HDMI ports quantity	3	Height *	897 mm
HDMI version	2.0	Weight	33.9 kg
Ethernet LAN (RJ-45) ports	2	Bezel width	1.64 cm
Microphone connectivity	3.5 mm	Packaging data	
Audio output	1	Package width	1628 mm
		Package depth	208 mm
		Package height	1024 mm
		Package weight	42.9 kg
		Quantity per pack	1 pc(s)



8806095575728

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date