Samsung Galaxy A55 5G 16,8 cm (6.6") Hybridi-Dual SIM Android 14 USB Type-C 8 GB 256 GB 5000 mAh Lila

Tuoteperhe: Galaxy Tuotekoodi: SM-A556BLVCEUB Tuotemerkki: Samsung

Tuotteen nimi: A55 5G

Samsung Galaxy A55 5G . Näytön halkaisija: 16,8 cm (6.6"), Näytön erottelutarkkuus: 1080 x 2340 pikseliä. Prosessorin taajuus: 2 GHz, Suoritinperhe: Samsung Exynos. RAM-kapasiteetti: 8 GB, Sisäinen tallennuskapasiteetti: 256 GB. Takakameran resoluutio (numeerinen): 50 MP, Takakameran tyyppi: Kolmoiskamera. SIM-kortin kapasiteetti: Hybridi-Dual SIM. Käyttöjärjestelmä asennettu: Android 14. Akun

kapasiteetti: 5000 mAh. Tuotteen väri: Lila. Paino: 213 g



Display		Camera	
Display diagonal * 16 Screen shape Fl. Display technology marketing name Screal type Al Display glass type Gorilla Glass version Gorilla Glass version * 16 Display number of colours 16	16.8 cm (6.6") Flat Super AMOLED AMOLED Gorilla Glass Gorilla Glass Victus+ 1080 x 2340 pixels 16 million colours	Camera High Dynamic Range (HDR) mode Time lapse mode Image stabilizer Image stabilizer type Night mode Panorama Macro photography	✓ ✓ Optical Image Stabilization (OIS) ✓ ✓
Display brightness	1000 cd/m ²	Network	
Maximum display brightness (Outdoor) Pixel density Brand specific technologies	1650 cd/m² 389 ppi Always-on display	SIM card capability * Mobile network generation * SIM card type * 3G standards *	Hybrid Dual SIM 5G NanoSIM + eSIM UMTS, WCDMA
Processor		4G standard *	LTE-TDD & LTE-FDD
Processor family * Processor cores Processor boost frequency Processor frequency *	Samsung Exynos 8 2.75 GHz 2 GHz	5G standard * Wi-Fi Wi-Fi standards	Sub6 FDD, Sub6 TDD ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ac)
Storage		Bluetooth *	6 (802.11ax)
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Maximum memory card size	235.5 GB 8 GB 256 GB MicroSD (TransFlash) 1 TB	Bluetooth Version Wi-Fi Direct MIMO Modulation	5.3 ✓ 1024-QAM
Camera		Ports & interfaces	
Rear camera sensor size 1/1.56" Second rear camera sensor size 1/3.06"	,	USB port * USB connector type USB version	USB Type-C 2.0
Rear camera resolution (numeric) *	50 MP	Design	
Second rear camera resolution (numeric) Third rear camera resolution	12 MP 5 MP	Form factor * Product colour * Colour name	Bar Lilac Awesome Lilac
(numeric) Rear camera aperture number Second rear camera aperture	1.8	International Protection (IP) code Housing material	IP67 Glass, Metal
number	2.2		

Camera		Performance	
Third rear camera aperture number	2.4		
Rear camera pixel size	2.4 1 μm	Fast charging	✓
Second rear camera pixel size	1.12 µm	Fingerprint reader	7
Third rear camera pixel size	1.12 µm	Face recognition	1
Rear camera field of view (FOV) angle	84°	Navigation	
Second rear camera field of view (FOV) angle	123° 78° 10x	GPS (satellite)	•
		GLONASS	1
Third rear camera field of view (FOV) angle		BeiDou Galileo	✓ ✓
Digital zoom		Quasi-Zenith Satellite System	
Front camera type *	Single camera	(QZSS)	1
Front camera sensor size	1/2.74"	Position location *	✓
Front camera resolution (numeric) *	32 MP	Multimedia	
Front camera aperture number	2.2		Dolby Atmos
Front camera pixel size	0.8 μm	Audio system	3GA, AAC, AMR, AWB, FLAC, IMY,
Front camera field of view (FOV) angle	81°	Audio formats supported	M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Rear camera flash *	1	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4,
Flash type	LED	video formats supported	WEBM
Video capture resolution (max)	3840 x 2160 pixels	Software	
Maximum frame rate	240 fps 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Platform *	Android
		Operating system installed *	Android 14
Resolution at capture speed		Battery	
Rear camera type *	Triple camera	Removable battery	×
Auto focus	✓	Battery capacity *	5000 mAh
		Sensors	
		Proximity sensor	✓
		Accelerometer	✓
		Ambient light sensor	✓
		Gyroscope	/
		Geomagnetic sensor	/
		Hall sensor	1
		Weight & dimensions	
		Width	77.4 mm
		Depth	8.2 mm
		Height	161.1 mm
		Weight *	213 g
		Packaging content	- J
		Cables included	USB Type-C
		SIM card ejector pin	✓
		Other features	
		Repairability index	8.5



8806095467191

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.