



Motorola Edge 50 Ultra 16,9 cm (6.67") Kaksois-SIM Android 14 5G USB Type-C 16 GB 1 TB 4500 mAh Harmaa

Tuotemerkki : Motorola

Tuoteperhe: Edge

Tuotekoodi: PB0Y0016SE

Tuotteen nimi : 50 Ultra

Motorola Edge 50 Ultra. Näytön halkaisija: 16,9 cm (6.67"). Suoritinperhe: Qualcomm Snapdragon, Prosessorimalli: 8s Gen 3. RAM-kapasiteetti: 16 GB, Sisäinen tallennuskapasiteetti: 1 TB. Takakameran resoluutio (numeerinen): 50 MP, Takakameran tyyppi: Kolmoiskamera. SIM-kortin kapasiteetti: Kaksois-SIM. Käyttöjärjestelmä asennettu: Android 14. Akun kapasiteetti: 4500 mAh. Tuotteen väri: Harmaa. Paino: 197 g



Display		Network	
Display diagonal *	16.9 cm (6.67")	Wi-Fi	✓
Screen shape	Flat	Wi-Fi standards	Wi-Fi 6E (802.11ax)
Panel type	P-OLED	Bluetooth *	✓
Maximum refresh rate	144 Hz	Bluetooth version	5.4
High Dynamic Range (HDR) supported	✓	Near Field Communication (NFC)	✓
High Dynamic Range (HDR) technology	High Dynamic Range 10+ (HDR10 Plus)	Ports & interfaces	
Processor		USB port *	✓
Processor family *	Qualcomm Snapdragon	USB connector type	USB Type-C
Processor model *	8s Gen 3	Design	
Storage		Form factor *	Bar
RAM capacity *	16 GB	Product colour *	Grey
Virtual RAM (max)	24 GB	Colour name	Forest Grey
Internal storage capacity *	1 TB	International Protection (IP) code	IP68
Camera		Performance	
Rear camera resolution (numeric) *	50 MP	Fast charging	✓
Second rear camera resolution (numeric)	13 MP	Wireless charging	✓
Third rear camera resolution (numeric)	10 MP	Fingerprint reader	✓
Rear camera aperture number	1.47	Face recognition	✓
Second rear camera aperture number	2.2	Navigation	
		GPS (satellite)	✓
		BeiDou	✓

Camera		Navigation	
Optical zoom	3x	Galileo	✓
Front camera type *	Single camera	Position location *	✓
Front camera resolution (numeric) *	50 MP	Software	
Front camera aperture number	1.9	Platform *	Android
Rear camera flash *	✓	Operating system installed *	Android 14
Rear camera type *	Triple camera	Battery	
Auto focus	✓	Battery capacity *	4500 mAh
Image stabilizer	✓	Weight & dimensions	
Image stabilizer type	Optical Image Stabilization (OIS)	Width	72.4 mm
Macro photography	✓	Depth	8.59 mm
Network		Height	161.1 mm
SIM card capability *	Dual SIM	Weight *	197 g
Mobile network generation *	5G	Packaging content	
SIM card type *	NanoSIM + eSIM	AC adapter included *	✓
		Quick start guide	✓
		Cables included	USB Type-C
		AC adapter power	125 W

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date