

Fujitsu PRIMERGY RX2510 M2 server 0 GB Rack (1U) Intel® Xeon® E5 v4 E5-2620V4 2.1 GHz 16 GB DDR4-SDRAM 450 W



Brand : Fujitsu

Product family: PRIMERGY

Product code:
VFY:R2512SC180IN

Product name : RX2510 M2

Fujitsu PRIMERGY RX2510 M2. Processor family: Intel® Xeon® E5 v4, Processor frequency: 2.1 GHz, Processor model: E5-2620V4. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Total storage capacity: 0 GB. Power supply: 450 W. Chassis type: Rack (1U)



Processor		Storage	
Processor manufacturer *	Intel	RAID support *	✓
Processor family *	Intel® Xeon® E5 v4	Optical drive type *	✗
Processor model *	E5-2620V4	Supported storage drive interfaces	SAS, Serial ATA III
Processor frequency *	2.1 GHz	Ports & interfaces	
Processor boost frequency	3 GHz	USB 2.0 ports quantity	2
Processor cores	8	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Processor cache	20 MB	Expansion slots	
Motherboard chipset	Intel® C612	PCI Express x8 (Gen 3.x) slots	2
Memory channels supported by processor	Quad	PCI Express x16 (Gen 3.x) slots	2
Number of processors installed	1	PCI Express slots version	3.0
Thermal Design Power (TDP)	85 W	Design	
Processor cache type	Smart Cache	Chassis type *	Rack (1U)
System bus rate	8 GT/s	Rack mounting	✓
Maximum number of SMP processors	2	Software	
Processor socket	LGA 2011-v3	Operating system installed *	✗
Processor lithography	14 nm	Compatible operating systems *	Windows Server 2016, Windows Server 2012
Processor threads	16	Processor special features	
Processor operating modes	64-bit	CPU configuration (max)	2
Stepping	R0	Enhanced Intel SpeedStep Technology	✓
Bus type	QPI	Intel® Identity Protection Technology (Intel® IPT)	✗
Number of QPI links	2	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor codename	Broadwell	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Tcase	74 °C	Intel® Turbo Boost Technology	2.0
Maximum internal memory supported by processor	1.54 TB	Intel Flex Memory Access	✗
Memory types supported by processor	DDR4-SDRAM	Intel® AES New Instructions (Intel® AES-NI)	✓
Memory clock speeds supported by processor	1600,1866,2133 MHz	Intel Trusted Execution Technology	✓
Memory bandwidth supported by processor (max)	68.3 GB/s	Intel Enhanced Halt State	✓
ECC supported by processor	✓	Intel VT-x with Extended Page Tables (EPT)	✓
Execute Disable Bit	✓	Intel Demand Based Switching	✓
Idle States	✓	Intel® Secure Key	✓
Thermal Monitoring Technologies	✓	Intel TSX-NI	✓
Maximum number of PCI Express lanes	40	Intel® OS Guard	✓
Processor package size	45 x 52.5 mm	Intel 64	✓
Supported instruction sets	AVX 2.0	Intel Identity Protection Technology version	0.00
Processor code	SR2R6		
Scalability	2S		
Physical Address Extension (PAE)	✓		
Physical Address Extension (PAE)	46 bit		

Processor		Processor special features	
Embedded options available	✓	Intel Secure Key Technology version	1.00
Processor series	Intel Xeon E5-2600 v4	Intel Virtualization Technology (VT-x)	✓
Conflict-Free processor	✓	Intel TSX-NI version	1.00
Memory		Processor ARK ID	92986
Internal memory *	16 GB	Power	
Internal memory type *	DDR4-SDRAM	Power supply *	450 W
Memory slots	12x DIMM	Number of main power supplies	1
ECC	✓	Weight & dimensions	
Memory clock speed	2400 MHz	Width	483 mm
Memory layout (slots x size)	1 x 16 GB	Depth	770.7 mm
Maximum internal memory *	384 GB	Height	43 mm
Storage		Weight	16 kg
Total storage capacity *	0 GB	Technical details	
Number of HDDs supported	4	Number of 2.5" bays	8
Supported HDD sizes	2.5,3.5"		



4059595423929



4058154236345

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.