

Lenovo 7Y37A01085 RAID-ohjain PCI Express x8 3.0 12000 Gbit/s

Tuotemerkki: Lenovo Tuotekoodi: 7Y37A01085

Tuotteen nimi: 7Y37A01085

Lenovo 7Y37A01085. Tuetut tallennusasemaliitännät: SAS, Serial ATA III, Isäntäkoneen käyttöliittymä: PCI Express x8. RAID-tasot: 0, 1, 10, 5, 50, 6, 60, Tiedonsiirtonopeus: 12000 Gbit/s, Sisäinen muisti: 4000 MB. Suoritinperhe: LSI. Yhteensopivat käyttöjärjestelmät: Microsoft Windows Server 2012 R2 Microsoft Windows Server 2016 Red Hat Enterprise Linux 6 Server.... PCI-kortti: Täysi korkeus (matala profiili)



Ports & interfaces		Performance	
Supported storage drive interfaces * Host interface * PCI Express slots version	SAS, Serial ATA III PCI Express x8 3.0	Compatible products	ST550, SR550, SR570, SR590, SR630, SR650, SR850, SR860, SR950
Internal mini-SAS HD ports	4	Processor	
Performance		Built-in processor	✓
RAID levels *	0, 1, 10, 5, 50, 6, 60	Processor family	LSI
RAID Level Migration	✓	System requirements	
Data transfer rate SSD support Internal memory Chipset S.M.A.R.T. support Number of devices supported Online Capacity Expansion Hot-swap	12000 Gbit/s 4000 MB LSI SAS3516 16 FCC Part 15 Class A Australia/New	Compatible operating systems	Microsoft Windows Server 2012 R2 Microsoft Windows Server 2016 Red Hat Enterprise Linux 6 Server x64 Edition Red Hat Enterprise Linux 7 SUSE Linux Enterprise Server 11 for AMD64/EM64T SUSE Linux Enterprise Server 11 with Xen for AMD64/EM64T SUSE Linux Enterprise Server 12 SUSE Linux Enterprise Server 12 SUSE Linux Enterprise Server 12 with XEN VMware vSphere ESXi 6.0 VMware vSphere ESXi 6.5
(ICES-003 Class B) Europe (EN55022/EN55024) Japar Certification V-3) Korea (RRA no 2013-2 RoHS compliant EN/IEC/UL Taiwan (CNS 13438) USA (Zealand (AS/NZS CISPR 22) Canada (ICES-003 Class B) Europe (EN55022/EN55024) Japan (VCCI V-3) Korea (RRA no 2013-24 & 25) RoHS compliant EN/IEC/UL 60950 Taiwan (CNS 13438) USA (FCC 47 CFR part 15 Subpart B class B) WEEE	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Logistics data Harmonized System (HS) code Other features	10 - 55 °C -40 - 70 °C 20 - 90% 5 - 95%
		PCI Card form factor	Full-height (low-profile)





889488433469

0889488433469

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.