

DELL Precision 3591 Intel Core Ultra 7 155H Mobiilityöasema 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX 1000 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

Tuotemerkki : DELL

Tuoteperhe: Precision

Tuotekoodi: YTKJ1

Tuotteen nimi : 3591

DELL Precision 3591. Tuotetyyppi: Mobiilityöasema, Kotelo: Simpukka. Suoritinperhe: Intel Core Ultra 7, Prosessorimalli: 155H. Näytön halkaisija: 39,6 cm (15.6"), HD-tyyppi: Full HD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM.

Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel Arc Graphics, Erillisen näytönohjaimen malli: NVIDIA RTX 1000 Ada. Käyttöjärjestelmä asennettu: Windows 11 Pro. Tuotteen väri: Harmaa





Design		Camera	
Design Product type * Product colour * Product colour * Form factor * Market positioning Intel® vPro™ Platform Eligibility Intel® vPro™ Platform Eligibility Display diagonal * Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut Maximum refresh rate	Mobile workstation Grey Clamshell Business ✓ 39.6 cm (15.6") 1920 x 1080 pixels × Full HD IPS ✓ 16:9 ✓ 400 cd/m ² 141 ppi sRGB 100% 60 Hz	Camera Video capturing speed Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Ethernet LAN Ethernet LAN data rates Bluetooth WWAN MIMO MIMO type	30 fps ✓ Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) × 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel ✓ 10,100,1000 Mbit/s ✓ Upgradable ✓ Multi User MIMO
Contrast ratio (typical)	800:1	Ports & interfaces	
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port	2 1 1 2.1 2 *

Processor		Ports & interfaces	
Processor boost frequency	4.8 GHz	Charging port type	USB Type-C
Performance cores	6	USB Type-C DisplayPort Alternate	
Efficient cores	8	Mode	
Low Power Efficient-cores	2	PowerShare	1
Performance-core Max Turbo Frequency	4.8 GHz	Number of USB ports with PowerShare support	1
Efficient-core Max Turbo Frequency	3.8 GHz	Keyboard	
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Pointing device	Touchpad
Performance-core base frequency	1.4 GHz	Keyboard language	Nordic
Efficient-core base frequency	0.9 GHz	Numeric keypad *	1
Low Power Efficient-core Base	700 MHz	Keyboard backlit	1
Frequency Processor casha	24 MB	Keyboard number of keys	100
Processor cache Processor cache type	Smart Cache	Software	
Processor base power	28 W	Operating system architecture	64-bit
Maximum turbo power	115 W	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Neural processor unit (NPU) Neural processor unit (NPU)	Intel Al Boost	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Maximum frequency NPU	1.4 GHz	Operating system installed *	Windows 11 Pro
Sparsity support	1	Battery	
Windows Studio effects support	1	Number of battery cells	4
AI datatype support on NPU	FP16, FP32, Int8	Battery capacity *	64 Wh
Al software frameworks supported	DirectML, ONNX RT, OpenVINO, Windows ML	Battery voltage	15.2 V
by NPU		Battery recharge time	3 h
Memory		Fast charging	
Internal memory *	16 GB DDR5-SDRAM	Battery charge indicator Battery weight	280 g
Internal memory type Memory form factor	SO-DIMM		200 g
Memory layout (slots x size)	1 x 16 GB	Power	120.14
Memory slots	2x SO-DIMM	AC adapter power AC adapter frequency	130 W 50 - 60 Hz
Maximum internal memory *	64 GB	AC adapter input voltage	100 - 240 V
Memory data transfer rate	5600 MT/s	USB Power Delivery (USB PD) *	 ✓
Non-ECC	✓	USB charging voltage	5,20 V
Storage		Security	
Total storage capacity *	512 GB	Cable lock slot	٠
Storage media *	SSD	Cable lock slot type	Wedge
Total SSDs capacity Number of SSDs installed	512 GB 1	Smart card reader	 Image: A start of the start of
SSD capacity	512 GB	Trusted Platform Module (TPM)	1
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM)	2.0
NVMe	1	version	2.0
SSD form factor	M.2	Operational conditions	
SSD performance class	35	Operating temperature (T-T)	0 - 35 °C
M.2 SSD size	2230 (22 x 30 mm)	Storage temperature (T-T)	-40 - 65 °C
Optical drive type *	×	Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 90% 0 - 95%
Card reader integrated	✓ MisroCD (TransFlach) MisroCDUC	Operating altitude	-15.2 - 3048 m
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Non-operating altitude	-15.2 - 10668 m
Graphics		Operating shock Non-operating shock	110 G 160 G
Discrete graphics card model *	NVIDIA RTX 1000 Ada	Operating vibration	0.66 G
Discrete graphics card memory	6 GB	Non-operating vibration	1.3 G
Discrete graphics memory type	GDDR6	Sustainability	
On-board graphics card * On-board GPU manufacturer	✓ Intel	Sustainability compliance	1
Discrete graphics card *		Sustainability certificates	ENERGY STAR, TCO
On-board graphics card family	Intel Arc Graphics	Weight & dimensions	,
On-board graphics card model *	Intel Arc Graphics	Width	357.8 mm
•		WIGHT	557.011111

Audio		Weight & dimensions	
Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	2 Waves 2 W ✔	Depth Height (front) Height (rear) Weight *	233.3 mm 2.27 cm 2.47 cm 1.79 kg
Number of microphones	2	Carbon footprint	
Camera		Total carbon footprint (kg of CO2e)	120
Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type	 2.07 MP 1920 x 1080 pixels Full HD 	Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	84 5
		Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184813607

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.