

## DELL Precision 3591 Intel Core Ultra 7 165H Mobile workstation 39.6 cm (15.6") Full HD 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 2000 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Grey

Brand : DELL

Product family: Precision

Product code: XPVR4



Product name : 3591

DELL Precision 3591. Product type: Mobile workstation, Form factor: Clamshell. Processor family: Intel Core Ultra 7, Processor model: 165H. Display diagonal: 39.6 cm (15.6"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel Arc Graphics, Discrete graphics card model: NVIDIA RTX 2000 Ada. Operating system installed: Windows 11 Pro. Product colour: Grey



Design		Camera	
Product type *	Mobile workstation	Privacy camera	✓
Product colour * Form factor *	Grey Clamshell	Privacy type	Privacy shutter
Market positioning	Business	Network	
1 5	Dusiness	Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
Display diagonal * Display resolution *	39.6 cm (15.6") 1920 x 1080 pixels	Wi-Fi standards	Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)
Touchscreen *	×	Mobile network connection *	×
HD type	Full HD	Wi-Fi data rate (max)	2400 Mbit/s
Panel type	IPS	Antenna type	2x2
LED backlight		WLAN controller model	Intel Wi-Fi 6E AX211
Native aspect ratio	16:9	WLAN controller manufacturer	Intel
Anti-glare screen	_0.0 ✓	Ethernet LAN	1
Display brightness	400 cd/m²	Ethernet LAN data rates	10,100,1000 Mbit/s
Pixel density	141 ppi	Bluetooth	1
RGB colour space	sRGB	WWAN	Upgradable
Colour gamut	100%	MIMO	1
Maximum refresh rate	60 Hz	MIMO type	Multi User MIMO
Contrast ratio (typical)	800:1	Ports & interfaces	
Processor		USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports	1
Processor family *	Intel Core Ultra 7	HDMI ports quantity *	1
Processor generation Processor model *	Intel® Core™ Ultra (Series 1) 165H	HDMI version	2.1
Processor model *	1658	Thunderbolt 4 ports quantity	2
Processor threads	22	Intel® Thunderbolt 4	1
Processor boost frequency	5 GHz	Combo headphone/mic port	<ul> <li>Image: A set of the set of the</li></ul>
Performance cores	6	Charging port type	USB Type-C
	-		

Processor		Ports & interfaces	
Efficient cores	8	USB Type-C DisplayPort Alternate	1
Low Power Efficient-cores	2	Mode	
Performance-core Max Turbo Frequency	5 GHz	PowerShare	
Efficient-core Max Turbo Frequency		Number of USB ports with PowerShare support	1
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Keyboard	
Performance-core base frequency	1.4 GHz	Pointing device	Touchpad
Efficient-core base frequency	0.9 GHz	Keyboard language	Nordic
Low Power Efficient-core Base	700 MHz	Numeric keypad *	1
Frequency		Keyboard backlit	1
Processor cache	24 MB	Keyboard number of keys	100
Processor cache type	Smart Cache	Software	
Processor base power Maximum turbo power	28 W 115 W	Operating system architecture	64-bit
·	113 W	Operating system language	Danish, English, Finnish, Norwegian,
Neural processor unit (NPU)	latel Al Decet	operating system language	Swedish
Neural processor unit (NPU) Maximum frequency NPU	Intel Al Boost 1.4 GHz	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Sparsity support	I.4 0HZ ✓	Operating system installed *	Windows 11 Pro
Windows Studio effects support	· · · · · · · · · · · · · · · · · · ·	Battery	
Al datatype support on NPU	• FP16, FP32, Int8	Number of battery cells	4
Al software frameworks supported	DirectML, ONNX RT, OpenVINO,	Battery capacity *	64 Wh
by NPU	Windows ML	Battery voltage	15.2 V
Memory		Battery recharge time	3 h
Internal memory *	32 GB	Fast charging	1
Internal memory type	DDR5-SDRAM	Battery charge indicator	1
Memory form factor	SO-DIMM	Battery weight	280 g
Memory layout (slots x size)	1 x 32 GB	Power	
Memory slots	2x SO-DIMM	AC adapter power	130 W
Maximum internal memory *	64 GB	AC adapter frequency	50 - 60 Hz
Memory data transfer rate	5600 MT/s	AC adapter input voltage	100 - 240 V
Non-ECC	<ul> <li>Image: A start of the start of</li></ul>	USB Power Delivery (USB PD) *	1
Storage		USB charging voltage	5,20 V
Total storage capacity *	1 TB	Security	
Storage media *	SSD	Cable lock slot	1
Total SSDs capacity	1 TB	Cable lock slot type	Wedge
Number of SSDs installed	1 1 TD	Smart card reader	<ul> <li>Image: A start of the start of</li></ul>
SSD capacity SSD interface	1 TB PCI Express 4.0	Trusted Platform Module (TPM)	1
NVMe		Trusted Platform Module (TPM)	2.0
SSD form factor	M.2	version	2.0
SSD performance class	40	Operational conditions	
M.2 SSD size	2280 (22 x 80 mm)	Operating temperature (T-T)	0 - 35 °C
Optical drive type *	×	Storage temperature (T-T)	-40 - 65 °C
Card reader integrated	✓	Operating relative humidity (H-H)	10 - 90%
Compatible memory cards	MicroSD (TransFlash), MicroSDHC,	Storage relative humidity (H-H)	0 - 95%
	MicroSDXC	Operating altitude Non-operating altitude	-15.2 - 3048 m -15.2 - 10668 m
Graphics		Operating shock	110 G
Discrete graphics card model *	NVIDIA RTX 2000 Ada	Non-operating shock	160 G
Discrete graphics card memory	8 GB GDDR6	Operating vibration	0.66 G
Discrete graphics memory type On-board graphics card *		Non-operating vibration	1.3 G
On-board graphics card * On-board GPU manufacturer	✓ Intel	Sustainability	
Discrete graphics card *		Sustainability compliance	1
On-board graphics card family	Intel Arc Graphics	Sustainability certificates	ENERGY STAR, TCO
On-board graphics card model *	Intel Arc Graphics	Weight & dimensions	
Audio		Width	357.8 mm
Audio		WIGUI	
Number of built-in speakers	2	Depth	233.3 mm

Audio		Weight & dimensions	
Speakers manufacturer Speaker power Built-in microphone	Waves 2 W ✔	Height (front) Height (rear) Weight *	2.27 cm 2.47 cm 1.79 kg
Number of microphones	2	Carbon footprint	
Camera		Total carbon footprint (kg of CO2e)	120
Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed	<ul> <li>2.07 MP</li> <li>1920 x 1080 pixels</li> <li>Full HD</li> <li>30 fps</li> </ul>	Carbon emissions, manufacturing (kg of CO2e)	84
		Carbon emissions, logistics (kg of CO2e)	5
		Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC



5397184807583

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.