

Samsung QP82R-8K Digital signage flat panel 2.08 m (82") LED Wi-Fi 500 cd/m² 8K Ultra HD Black 16/7

Brand : Samsung

Product code: LH82QPR8BGXEN

Product name : QP82R-8K



- Exceptional 8K resolution with 8K AI Upscaling technology
 - Brilliant picture quality with QLED, 100% color volume and Quantum HDR
 - Minimal and aesthetic design that enhances any customer environment
- 82", 7680 x 4320, Direct LED BLU, 500 cd/m², 1850:1, 6 ms, 16/7, Coretex A72 1.7 GHz, 2.5 GB LPDDR4, 8 GB, WiFi, Bluetooth, HDMI, USB, RJ45, RS232, WiFi, IR, 1835.0 x 1055.6 x 34.8 mm
 Samsung QP82R-8K. Product design: Digital signage flat panel. Display diagonal: 2.08 m (82"), Display technology: LED, Display resolution: 7680 x 4320 pixels, Display brightness: 500 cd/m², HD type: 8K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Product colour: Black



Display		Design	
Display diagonal *	2.08 m (82")	Panel mounting interface	600 x 400 mm
Display technology *	LED	Performance	
Display resolution *	7680 x 4320 pixels	Purpose *	Universal
Display brightness *	500 cd/m ²	Operating hours (hours/days)	16/7
HD type *	8K Ultra HD	HDCP	✓
Touchscreen *	✗	Power	
Native aspect ratio	16:9	Power consumption (standby) *	0.5 W
Response time	6 ms	AC input voltage	100 - 240 V
Contrast ratio (typical)	1850:1	AC input frequency	50 - 60 Hz
Dynamic contrast ratio marketing name	Mega Contrast	Computer system	
Viewing angle, horizontal	178°	Computer system *	✓
Viewing angle, vertical	178°	Weight & dimensions	
Display number of colours	10.7 billion colours	Width	1835 mm
Pixel pitch	78.36 x 235.08 mm	Depth	34.8 mm
Ports & interfaces		Height	1055.6 mm
HDMI ports quantity *	4	Weight	50 kg
HDMI input ports quantity	4	Packaging data	
DVI port *	✗	Package width	2039 mm
USB port *	✓	Package depth	260 mm
USB ports quantity	3	Package height	1224 mm
Ethernet LAN *	✓	Package weight	70 kg
Wi-Fi *	✓	Packaging content	
Audio (L/R) out	1	Remote control included	✓
RS-232C	✓	Cables included	AC
Audio		Operational conditions	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
RMS rated power	60 W	Operating relative humidity (H-H)	20 - 95%
Design		Logistics data	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Placement supported *	Indoor	Other features	
Orientation	Horizontal/Vertical	Display brightness (peak)	4000 cd/m ²
Product colour *	Black	Quick start guide	✓
VESA mounting *	✓	Energy efficiency class (old)	D



8801643877552

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-NOV-2024. Prints or copies of Information are only valid on the printed Publication date