ASUS Dual -RX7900XTX-O24G AMD Radeon RX 7900 XTX 24 GB GDDR6

Brand: ASUS Product code: 90YV0IG2-**Product family:** Dual

Product name: DUAL-RX7900XTX-O24G

- M0NA00

- OC Mode: up to 2615 MHz (Boost Clock)/ up to 2455 MHz (Game Clock)
- Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure
- 0dB technology lets you enjoy light gaming in relative silence
- Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- Dual BIOS switch lets you toggle between Quiet and Performance BIOS profiles sans software
- A protective backplate prevents PCB flex and trace damage
- Auto-extreme uses automation to enhance reliability
- GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring

Dual Radeon RX 7900 XTX OC Edition 24GB GDDR6 is armed to dish out frames and keep vitals in check



| Processor | | Performance | |
|---|--|---|--|
| CUDA * X Graphics processor family * AMD Graphics processor * Radeon RX 7900 XTX Processor boost clock speed 2525 MHz | AMD Radeon RX 7900 XTX | OpenGL version * HDCP HDCP version Dual Link DVI * | 4.6 ✓ 2.3 |
| Processor boost clock speed (OC mode) | 2615 MHz | Design | |
| Processor boost clock speed (Gaming mode) Maximum resolution * | 2455 MHz 7680 x 4320 pixels | Cooling type * Cooling technology Number of fans | Active ASUS Axial-tech 2 fan(s) |
| Parallel processing technology support * Stream processors | Not supported 6144 | Form factor Number of slots Illumination | Full-Height/Half-Length (FH/HL) 2.95 |
| Maximum displays per videocard Memory | 4 | Illumination colour Product colour | Multi Black |
| Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate | 24 GB GDDR6 384 bit 20 Gbit/s | Power Minimum system power supply * Supplementary power connectors | 850 W 3x 8-pin |
| Ports & interfaces | | Weight & dimensions | |
| Interface type * HDMI ports quantity * HDMI version DisplayPorts quantity * | PCI Express 4.0 1 2.1 3 | Weight Length Depth Height | 1.46 kg 323 mm 58 mm 147 mm |
| DisplayPort version | 2.1 | Packaging data | |
| Performance TV tuner integrated * DirectX version * | x x | Package width Package depth Package height Package weight Package type | 405 mm 233 mm 88.5 mm 2.1 kg Box |

| Packaging content | |
|-------------------|---|
| Manual | ✓ |



4711387619001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.