

## Lexmark MX910de Laser 1200 x 1200 DPI 45 ppm

**Brand :** Lexmark

**Product code:** 26Z0136

**Product name :** MX910de

Print/Copy/Scan/Fax, Mono, Duplex, 45 ppm (Letter), 1150 Pages In, Gigabit Ethernet, USB 2.0, 1GB, 10" Touch Screen

Lexmark MX910de Laser 1200 x 1200 DPI 45 ppm:



### Advanced features and output-size options

High-volume output, long-life components, solid security and advanced finishing make the Lexmark MX910de the foundation of SRA3 / 12"x18"-capable multifunction monochrome products from Lexmark. Lexmark MX910de. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying. Scanning: Colour scanning. Faxing: Mono faxing. Direct printing

Printing		Ports & interfaces	
Duplex printing mode	Auto/Manual	Standard interfaces	Ethernet, USB 2.0
Print technology *	Laser	Direct printing *	✓
Printing *	Mono printing	USB port	✓
Duplex printing *	✓	USB 2.0 ports quantity	4
Maximum resolution *	1200 x 1200 DPI	Optional connectivity	Parallel, Serial (RS-232), Wireless LAN
Print speed (black, normal quality, A4/US Letter) *	45 ppm	<b>Network</b>	
Duplex print speed (black, normal quality, A4/US Letter)	45 ppm	Wi-Fi *	✗
Time to first page (black, normal)	5.6 s	Ethernet LAN *	✓
Economical printing	✓	Cabling technology	10/100/1000Base-T(X)
<b>Copying</b>		Ethernet LAN data rates	10,100,1000 Mbit/s
Duplex copying *	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copying *	Mono copying	Security algorithms	802.1x RADIUS, EAP-MD5, EAP-PEAP, HTTPS, LEAP, MD5, PEAP, SSL/TLS
<b>Scanning</b>		Supported network protocols (IPv4)	TCP/IP IPv4 AppleTalk
Duplex scanning *	✓	Supported network protocols (IPv6)	TCP/IP IPv6 TCP UDP
Scanning *	Colour scanning	Management protocols	HTTP HTTPS (SSL/TLS) SNMPv1, SNMPv2c SNMPv3 WINS IGMP BOOTP, RARP APIPA (AutoIP) DHCP ICMP DNS DDNS mDNS ARP NTP Telnet Finger
<b>Fax</b>		Security features	HTTP HTTPS (SSL/TLS) SNMPv1, SNMPv2c SNMPv3 WINS IGMP BOOTP, RARP APIPA (AutoIP) DHCP ICMP DNS DDNS mDNS ARP NTP Telnet Finger
Faxing *	Mono faxing	Network printing methods	LPR/LPD Direct IP (Port 9100) Enhanced IP (Port 9400) FTP, TFTP ThinPrint .print integration Telnet IPP 1.0, 1.1, 2.0
<b>Features</b>		Authentication method	802.1x
Recommended duty cycle	15000 - 50000 pages per month	<b>Performance</b>	
Maximum duty cycle *	200000 pages per month	Maximum internal memory	3072 MB
Digital sender	✓	Card reader integrated	✓
Number of print cartridges *	1	Internal memory *	1024 MB
Printing colours *	Black	Processor frequency	800 MHz
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PCL 6C, PDF 1.7, PDF 1.7+, PPDS, PostScript 3, XHTML	<b>Design</b>	
All-In-One-multitasking	✓	Market positioning *	Business
<b>Paper handling</b>		Display diagonal	25.4 cm (10")
Paper tray media weight (imperial)	7.26 - 30.8 kg (16 - 68 lbs)	Touchscreen	✓
		Control type	Touch

**Other features**

Finishing option





073464655579



73464655579

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.