îîyama

iiyama ProLite XU2792UHSU-B6 tietokoneen litteä näyttö 68,6 cm (27") 3840 x 2160 pikseliä 4K Ultra HD LED musta

Tuotemerkki : iiyama

Tuoteperhe: ProLite

Tuotekoodi: XU2792UHSU-B6



Tuotteen nimi : XU2792UHSU-B6

iiyama ProLite XU2792UHSU-B6. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys. Tuotteen väri: musta



Display

| | Ports & interfaces | |
|--|--|---|
| isplay diagonal *68.6 cm (27")isplay resolution *3840 x 2160 pixelsD type *4K Ultra HDative aspect ratio *16:9isplay technology *LEDanel type *IPSouchscreen *×isplay brightness (typical)350 cd/m²esponse time *4 msspect ratio (typical) *1300:1laximum refresh rate *60 Hziewing angle, horizontal178°isplay number of colours *1.07 billion coloursorizontal scan range30 - 140 kHziewable size, horizontal59.7 cmiewable size, vertical33.6 cmisplay diagonal (metric)68.5 cm | DisplayPort version Headphone out * Headphone connectivity HDCP | 1.2 ✓ 3.5 mm |
| | Ergonomics VESA mounting * Panel mounting interface Cable management Height adjustment * Tilt adjustment 1 Tilt angle range On Screen Display (OSD) languages | 100 x 100 mm 100 x 100 mm< |
| | Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 | F Not available |
| × × × | hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * | 26 kWh 0 kWh 34 W 0.5 W |
| 2 4 ₩ ✓ | Power consumption (off) AC input voltage AC input frequency Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code Weight & dimensions | 0.3 W 100 - 240 V 50/60 Hz A to G 1955520 614.5 mm |
| | 3840 x 2160 pixels 4K Ultra HD 16:9 LED IPS × 350 cd/m ² 4 ms 16:10 1300:1 60 Hz 178° 1.07 billion colours 0.155 x 0.155 mm 30 - 140 kHz 59.7 cm 33.6 cm 68.5 cm × × × × × × | 68.6 cm (27")DisplayPort version3840 x 2160 pixelsHeadphone out *4K Ultra HDHeadphone connectivity16:9HDCPLED Ergonomics VPSVESA mounting *350 cd/m²Panel mounting interface4 msCable management16:10Height adjustment *1300:1Tilt adjustment60 HzTilt angle range178°On Screen Display (OSD)107 billion coloursOn Screen Display (OSD) languages0.155 x 0.155 mmEnergy efficiency class (SDR) *33.6 cmEnergy efficiency class (SDR) *68.5 cmEnergy efficiency class (SDR) per 1000hours *Power consumption (SDR) per 1000hours *Power consumption (typical) *YPower consumption (typical) *YPower consumption (off)AC input voltageAC input frequency4 WEnergy efficiency scaleYEnergy efficiency scaleEuropean Product Registry forEnergy Labelling (EPREL) code |

| Design | | Weight & dimensions | |
|---|-----------------------|---|---------------------------------|
| Market positioning * Product colour * | Business Black | Depth (with stand) Height (with stand) | 190 mm 439.5 mm |
| Ports & interfaces | | Weight (with stand) | 4.7 kg |
| Built-in USB hub * | 1 | Packaging data | |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package width | 688 mm |
| USB upstream port type | USB Type-C | Package depth | 124 mm |
| Number of USB Type-C upstream ports quantity | 1 | Package height Package weight | 473 mm 7.1 kg |
| USB Type-A downstream ports quantity | 3 | Packaging content | |
| USB Power Delivery (USB PD) | 1 | Cables included | HDMI, Power, USB |
| USB Power Delivery up to | 15 W | Quick start guide | <i>✓</i> |
| HDMI * | 1 | Other features | |
| HDMI ports quantity | 1 | | TCO Certified, CE, TÜV-GS, EAC, |
| HDMI version | 2.0 | Certification | PSE, RoHS support, ErP, WEEE, |
| DisplayPorts quantity | 1 | | VCCI, REACH, UKCA |



4948570123797

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.