

ZYXEL

## Zyxel SCR50AXE-EU0101F langaton reititin Gigabitti Ethernet Kolmikaista (2,4 GHz/5 GHz/6 GHz) Valkoinen

**Tuotemerkki :** Zyxel

**Tuotekoodi:** SCR50AXE-EU0101F

**Tuotteen nimi :** SCR50AXE-EU0101F

Zyxel SCR50AXE-EU0101F. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kolmikaista (2,4 GHz/5 GHz/6 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), WLAN-tiedonsiirtonopeus (maks.): 890 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Kaapelitekniikka: 10/100/1000Base-T(X). Tietoturva-algoritmit: IPSec. Tuotetyyppi: Pöytäreititin, Tuotteen väri: Valkoinen, LED-merkkivalot: Tila



<b>WAN connection</b>		<b>Design</b>	
Ethernet WAN *	✓	Product colour	White
WAN connection type	RJ-45	Wall mountable	✓
<b>Wireless LAN features</b>		Indication light	✓
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 6 GHz)	LED indicators	Status
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	On/off switch	✓
WLAN data transfer rate (max) *	890 Mbit/s	Product type *	Tabletop router
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	<b>Certificates</b>	
WLAN data transfer rate (first band)	574 Mbit/s	Certification	CE; FCC;BSMI
WLAN data transfer rate (second band)	1201 Mbit/s	<b>Packaging content</b>	
Modulation	1024-QAM	Cables included	LAN (RJ-45)
<b>Network</b>		AC adapter included	✓
Ethernet LAN *	✓	<b>Antenna</b>	
Ethernet LAN interface type *	Gigabit Ethernet	Antenna design *	Internal
Ethernet LAN data rates	10,100,1000 Mbit/s	Antennas quantity	4
Cabling technology	10/100/1000Base-T(X)	<b>Features</b>	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Built-in processor	✓
Dynamic DNS (DDNS)	✓	Processor frequency	1000 MHz
Static route	✓	Processor cores	2
<b>Mobile network</b>		Internal memory	1000 MB
3G	✗	Flash memory	256 MB
4G	✗	Languages support	Multi
5G	✗	Firmware upgradeable	✓
		<b>Power</b>	
		Power source type *	DC
		Output voltage	12 V
		Output current	2 A

<b>Ports &amp; interfaces</b>		<b>Power</b>	
Ethernet LAN (RJ-45) ports *	5	Power consumption (typical)	21 W
USB port *	✗	<b>Operational conditions</b>	
DC-in jack	✓	Operating temperature (T-T)	0 - 40 °C
<b>Management features</b>		Storage temperature (T-T)	-30 - 70 °C
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
Reset button	✓	Storage relative humidity (H-H)	10 - 95%
<b>Security</b>		<b>Weight &amp; dimensions</b>	
Security algorithms	IPSec	Width	178 mm
Firewall	✓	Depth	54.6 mm
Guest access	✓	Height	242.2 mm
Filtering	✓	Weight	651 g
MAC address filtering	✓	<b>Packaging data</b>	
IP address filtering	✓	Package width	238 mm
Network address translation (NAT)	✓	Package depth	281 mm
<b>Protocols</b>		Package height	151 mm
DHCP client	✓	Package weight	1.72 kg
DHCP server	✓	Number of products included	1 pc(s)



4718937631582

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date