



DELL PowerEdge T560 server 480 GB Tower (4.5U) Intel Xeon Silver 4410Y 2 GHz 32 GB DDR5-SDRAM 1100 W



Brand : DELL

Product family: PowerEdge

Product code: VX432

Product name : T560

- No OS
 - Intel Xeon Silver 4410Y (30MB Cache, 2GHz)
 - 32GB DDR5-SDRAM (1 x 32) & 480GB SSD
 - iDRAC9, Enterprise 16G
- Intel Xeon Silver 4410Y (30MB Cache, 2GHz), 32GB DDR5-SDRAM, 480GB SSD, LAN (Broadcom 5720), PERC H755, iDRAC9, Enterprise 16G, 1100W, No OS

[DELL PowerEdge T560 server 480 GB Tower \(4.5U\) Intel Xeon Silver 4410Y 2 GHz 32 GB DDR5-SDRAM 1100 W:](#)

Faster, more powerful and balanced

A purpose-built office-friendly server, maximising next-gen technologies with GPU options to achieve enterprise-level performance.

DELL PowerEdge T560. Processor family: Intel Xeon Silver, Processor frequency: 2 GHz, Processor model: 4410Y. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 1100 W. Chassis type: Tower (4.5U)

Processor		Storage	
Processor manufacturer *	Intel	Drive writes per day (DWPD)	1
Processor family *	Intel Xeon Silver	Storage drive adapter included	✓
Processor generation	Intel Xeon Scalable 4th Gen	Storage drive adapter type	2.5" - 3.5"
Processor model *	4410Y	Network	
Processor frequency *	2 GHz	LAN controller	Broadcom 5720
Processor boost frequency	3.9 GHz	Ethernet LAN	✓
Processor cores	12	Cabling technology	10/100/1000Base-T(X)
Processor cache	30 MB	Ethernet interface type	Gigabit Ethernet
Motherboard chipset	Intel C741	Ports & interfaces	
Number of processors installed	1	Ethernet LAN (RJ-45) ports *	2
Thermal Design Power (TDP)	150 W	USB 2.0 ports quantity	2
System bus rate	16 GT/s	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Processor threads	24	VGA (D-Sub) ports quantity	1
Memory types supported by processor	DDR5-SDRAM	Design	
Memory clock speeds supported by processor	4000 MHz	Chassis type *	Tower (4.5U)
Memory		Product colour	Black
Internal memory *	32 GB	Rack rails	✓
Internal memory type *	DDR5-SDRAM	Performance	
Buffered memory type	Registered (buffered)	Remote administration	iDRAC9, Enterprise 16G
Memory ranking	2	Software	
Memory slots	16x DIMM	Operating system installed *	✗
Memory layout (slots x size)	1 x 32 GB	Compatible operating systems *	Canonical® Ubuntu® Server LTS
Memory data transfer rate	5600 MT/s		Microsoft® Windows Server® with Hyper-V
Maximum internal memory *	1 TB		RedHat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi®
Storage		Power	
Total storage capacity *	480 GB	Redundant power supply (RPS) support *	✗
Number of SSDs installed	1	Power supply *	1100 W
SSD capacity	480 GB		
SSD interface	SATA III		
SSD size	2.5"		

Storage		Power	
Supported SSD sizes	3.5"	Number of main power supplies	1
Number of SSDs supported	8	Power supply input voltage	220 V
RAID support *	✓	Weight & dimensions	
Supported RAID controllers	PERC H755	Width	200 mm
Hot-swap	✓	Other features	
Optical drive type *	✗	Data transfer rate	6 Gbit/s
		Bytes per sector	512



5397184851944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-NOV-2024. Prints or copies of Information are only valid on the printed Publication date