



DELL PowerEdge T560 palvelin 480 GB Torni (4.5U) Intel® Xeon Silver 4410Y 2 GHz 32 GB DDR5-SDRAM 1100 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: VX432

Tuotteen nimi : T560

DELL PowerEdge T560. Suoritinperhe: Intel® Xeon Silver, Prosessorin taajuus: 2 GHz, Prosessorimalli: 4410Y. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR5-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 32 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 1100 W. Alustatyyppi: Torni (4.5U)



Processor		Storage	
Processor manufacturer *	Intel	Drive writes per day (DWPD)	1
Processor family *	Intel Xeon Silver	Storage drive adapter included	✓
Processor generation	Intel Xeon Scalable 4th Gen	Storage drive adapter type	2.5" - 3.5"
Processor model *	4410Y	Network	
Processor frequency *	2 GHz	LAN controller	Broadcom 5720
Processor boost frequency	3.9 GHz	Ethernet LAN	✓
Processor cores	12	Cabling technology	10/100/1000Base-T(X)
Processor cache	30 MB	Ethernet interface type	Gigabit Ethernet
Motherboard chipset	Intel C741	Ports & interfaces	
Number of processors installed	1	Ethernet LAN (RJ-45) ports *	2
Thermal Design Power (TDP)	150 W	USB 2.0 ports quantity	2
System bus rate	16 GT/s	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Processor threads	24	VGA (D-Sub) ports quantity	1
Memory types supported by processor	DDR5-SDRAM	Design	
Memory clock speeds supported by processor	4000 MHz	Chassis type *	Tower (4.5U)
Memory		Product colour	Black
Internal memory *	32 GB	Rack rails	✓
Internal memory type *	DDR5-SDRAM	Performance	
Buffered memory type	Registered (buffered)	Remote administration	iDRAC9, Enterprise 16G
Memory ranking	2	Software	
Memory slots	16x DIMM	Operating system installed *	✗
Memory layout (slots x size)	1 x 32 GB	Compatible operating systems *	Canonical® Ubuntu® Server LTS Microsoft® Windows Server® with Hyper-V RedHat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi®
Memory data transfer rate	5600 MT/s		
Maximum internal memory *	1 TB		
Storage			
Total storage capacity *	480 GB		
Number of SSDs installed	1		

Storage		Power	
SSD capacity	480 GB	Redundant power supply (RPS) support *	✘
SSD interface	SATA III	Power supply *	1100 W
SSD size	2.5"	Number of main power supplies	1
Supported SSD sizes	3.5"	Power supply input voltage	220 V
Number of SSDs supported	8	Weight & dimensions	
RAID support *	✓	Width	200 mm
Supported RAID controllers	PERC H755	Other features	
Hot-swap	✓	Data transfer rate	6 Gbit/s
Optical drive type *	✘	Bytes per sector	512



5397184851944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date