



DELL OptiPlex 7020 Intel® Core™ i3 i3-14100T 8 GB DDR5-SDRAM 256 GB SSD Windows 11 Pro MFF Mini PC Black

Brand : DELL

Product family: OptiPlex

Product code: 45CP9

Product name : 7020

DELL OptiPlex 7020. Processor family: Intel® Core™ i3, Processor model: i3-14100T. Internal memory: 8 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 730. Wi-Fi. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 65 W. Chassis type: MFF. Product type: Mini PC. Product colour: Black



Processor		Ports & interfaces	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports	1
Processor family *	Intel® Core™ i3	Combo headphone/mic port	✓
Processor generation	Intel® Core™ i3 (14th gen)	DC-in jack	✓
Processor model *	i3-14100T	Design	
Processor cores	4	Chassis type *	MFF
Processor threads	8	Placement supported	Horizontal/Vertical
Processor boost frequency	4.4 GHz	Cable lock slot	✓
Performance cores	4	Cable lock slot type	Kensington
Performance-core Max Turbo Frequency	4.4 GHz	Product colour *	Black
Performance-core base frequency	2.7 GHz	Performance	
Processor cache	12 MB	Market positioning	Business
Processor cache type	Smart Cache	Motherboard chipset	Intel Q670
Number of processors installed	1	Audio chip	Realtek ALC3204
Processor base power	35 W	Built-in speaker(s)	✓
Maximum turbo power	69 W	Number of speakers	1
Memory		Password protection	✓
Internal memory *	8 GB	Trusted Platform Module (TPM)	✓
Maximum internal memory *	64 GB	Trusted Platform Module (TPM) version	2.0
Internal memory type	DDR5-SDRAM	Product type *	Mini PC
Memory layout (slots x size)	1 x 8 GB	Software	
Memory slots	2x SO-DIMM	Operating system installed *	Windows 11 Pro
Storage		Operating system architecture	64-bit
Total storage capacity *	256 GB	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Storage media *	SSD	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Optical drive type *	✗	Power	
Number of storage drives installed	1	Power supply *	65 W
Total SSDs capacity	256 GB	Power supply input voltage	100 - 240 V
Number of SSDs installed	1	Power supply input frequency	50/60 Hz
SSD capacity	256 GB	Operational conditions	
SSD interface	PCI Express 4.0	Operating temperature (T-T)	10 - 35 °C
NVMe	✓	Storage temperature (T-T)	-40 - 65 °C
SSD form factor	M.2	Operating relative humidity (H-H)	20 - 80%
SSD performance class	35		
M.2 SSD size	2230 (22 x 30 mm)		

Graphics		Operational conditions	
Discrete graphics card *	✘	Storage relative humidity (H-H)	5 - 95%
On-board graphics card *	✔	Operating altitude	-15.2 - 3048 m
Discrete graphics card model *	Not available	Non-operating altitude	-15.2 - 10668 m
On-board GPU manufacturer	Intel	Operating vibration	0.26 G
On-board graphics card family	Intel® UHD Graphics	Non-operating vibration	1.37 G
On-board graphics card model *	Intel UHD Graphics 730	Operating shock	40 G
		Non-operating shock	105 G
Network		Sustainability	
Ethernet LAN *	✔	Sustainability compliance	✔
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability certificates	TCO, ENERGY STAR, EPEAT Climate +
Wi-Fi *	✔	Doesn't contain	PVC/BFR
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)		
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Weight & dimensions	
WLAN controller manufacturer	Intel	Width *	36 mm
WLAN controller model	Intel Wi-Fi 6E AX211	Depth *	178 mm
Antenna type	2x2	Height *	182 mm
Bluetooth	✔	Packaging content	
Ports & interfaces		Display included *	✘
USB 2.0 ports quantity *	2	Cables included	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Carbon footprint	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Total carbon footprint (kg of CO2e)	91
PowerShare	✔	Carbon emissions, manufacturing (kg of CO2e)	59
Number of USB ports with PowerShare support	1	Carbon emissions, logistics (kg of CO2e)	2
HDMI ports quantity *	1	Carbon emissions, energy usage (kg of CO2e)	28
HDMI version	1.4b	Carbon emissions, end-of-life (kg of CO2e)	1
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	62
DisplayPort version	1.4a	PAIA version	GaBi verison1



5397184802182

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-SEP-2024. Prints or copies of Information are only valid on the printed Publication date