



DELL OptiPlex 7020 Intel® Core™ i3 i3-14100T 8 GB DDR5-SDRAM 256 GB SSD Windows 11 Pro MFF Mini PC musta

Tuotemerkki : DELL

Tuoteperhe: OptiPlex

Tuotekoodi: 45CP9


Tuotteen nimi : 7020

DELL OptiPlex 7020. Suoritinperhe: Intel® Core™ i3, Processorimalli: i3-14100T. Sisäinen muisti: 8 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 256 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel UHD Graphics 730. Wi-Fi. Käyttöjärjestelmä asennettu: Windows 11 Pro, Käyttöjärjestelmän arkkitehtuuri: 64-bittinen. Virtalähde: 65 W. Alustatyyppi: MFF. Tuotetyyppi: Mini PC. Tuotteen väri: musta



Processor		Ports & interfaces	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports	1
Processor family *	Intel® Core™ i3	Combo headphone/mic port	✓
Processor generation	Intel® Core™ i3 (14th gen)	DC-in jack	✓
Processor model *	i3-14100T		
Processor cores	4		
Processor threads	8		
Processor boost frequency	4.4 GHz		
Performance cores	4		
Performance-core Max Turbo Frequency	4.4 GHz		
Performance-core base frequency	2.7 GHz		
Processor cache	12 MB		
Processor cache type	Smart Cache		
Number of processors installed	1		
Processor base power	35 W		
Maximum turbo power	69 W		
Memory		Design	
Internal memory *	8 GB	Chassis type *	MFF
Maximum internal memory *	64 GB	Placement supported	Horizontal/Vertical
Internal memory type	DDR5-SDRAM	Cable lock slot	✓
Memory layout (slots x size)	1 x 8 GB	Cable lock slot type	Kensington
Memory slots	2x SO-DIMM	Product colour *	Black
Storage		Performance	
Total storage capacity *	256 GB	Market positioning	Business
Storage media *	SSD	Motherboard chipset	Intel Q670
Optical drive type *	✗	Audio chip	Realtek ALC3204
Number of storage drives installed	1	Built-in speaker(s)	✓
Total SSDs capacity	256 GB	Number of speakers	1
Number of SSDs installed	1	Password protection	✓
SSD capacity	256 GB	Trusted Platform Module (TPM)	✓
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM) version	2.0
NVMe	✓	Product type *	Mini PC
SSD form factor	M.2		
SSD performance class	35		
M.2 SSD size	2230 (22 x 30 mm)		
		Software	
		Operating system installed *	Windows 11 Pro
		Operating system architecture	64-bit
		Operating system language	Danish, English, Finnish, Norwegian, Swedish
		Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
		Power	
		Power supply *	65 W
		Power supply input voltage	100 - 240 V
		Power supply input frequency	50/60 Hz
		Operational conditions	
		Operating temperature (T-T)	10 - 35 °C
		Storage temperature (T-T)	-40 - 65 °C
		Operating relative humidity (H-H)	20 - 80%

Graphics		Operational conditions	
Discrete graphics card *	✗	Storage relative humidity (H-H)	5 - 95%
On-board graphics card *	✓	Operating altitude	-15.2 - 3048 m
Discrete graphics card model *	Not available	Non-operating altitude	-15.2 - 10668 m
On-board GPU manufacturer	Intel	Operating vibration	0.26 G
On-board graphics card family	Intel® UHD Graphics	Non-operating vibration	1.37 G
On-board graphics card model *	Intel UHD Graphics 730	Operating shock	40 G
Network		Non-operating shock	105 G
Ethernet LAN *	✓	Sustainability	
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability compliance	✓
Wi-Fi *	✓	Sustainability certificates	TCO, ENERGY STAR, EPEAT Climate +
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Doesn't contain	PVC/BFR
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Weight & dimensions	
WLAN controller manufacturer	Intel	Width *	36 mm
WLAN controller model	Intel Wi-Fi 6E AX211	Depth *	178 mm
Antenna type	2x2	Height *	182 mm
Bluetooth	✓	Packaging content	
Ports & interfaces		Display included *	✗
USB 2.0 ports quantity *	2	Cables included	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Carbon footprint	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Total carbon footprint (kg of CO2e)	91
PowerShare	✓	Carbon emissions, manufacturing (kg of CO2e)	59
Number of USB ports with PowerShare support	1	Carbon emissions, logistics (kg of CO2e)	2
HDMI ports quantity *	1	Carbon emissions, energy usage (kg of CO2e)	28
HDMI version	1.4b	Carbon emissions, end-of-life (kg of CO2e)	1
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	62
DisplayPort version	1.4a	PAIA version	GaBi version 1, 2024



5397184802182

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date