

## DELL OptiPlex 7020 Intel® Core™ i5 i5-14500 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro SFF PC Black

Brand : DELL

Product family: OptiPlex

Product code: XVXN6

Product name : 7020

DELL OptiPlex 7020. Processor family: Intel® Core ™ i5, Processor model: i5-14500. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 770. Wi-Fi. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 180 W. Chassis type: SFF. Product type: PC. Product colour: Black





## Processor Ports & interfaces Processor manufacturer \* Intel DisplayPort version 1.4a Processor family \* Intel® Core<sup>™</sup> i5 Combo headphone/mic port 1 Intel® Core<sup>™</sup> i5 (14th gen) Processor generation Number of SATA III connectors 2 Processor model \* i5-14500 **Expansion slots** Processor cores 14 PCI Express x1 (Gen 3.x) slots 1 20 Processor threads PCI Express x16 (Gen 3.x) slots 1 5 GHz Processor boost frequency Performance cores 6 Design Efficient cores 8 Chassis type \* SFF Performance-core Max Turbo Placement supported Vertical 5 GHz Frequency Cable lock slot 1 Efficient-core Max Turbo Frequency 3.7 GHz Cable lock slot type Kensington Performance-core base frequency 2.6 GHz Product colour \* Black 1.9 GHz Efficient-core base frequency Intel® vPro<sup>™</sup> Platform Eligibility 1 Processor cache 24 MB Smart Cache Performance Processor cache type Number of processors installed 1 Motherboard chipset Intel Q670 Processor base power 65 W Realtek ALC3204-CG Audio chip 154 W Maximum turbo power Audio system High Definition Audio Trusted Platform Module (TPM) Memory 1 Trusted Platform Module (TPM) Internal memory \* 16 GB 2.0 version Maximum internal memory \* 64 GB Product type \* PC Internal memory type DDR5-SDRAM Software Memory layout (slots x size) 1 x 16 GB Memory slots 2x DIMM Operating system installed \* Windows 11 Pro Memory data transfer rate 4800 MT/s Operating system architecture 64-bit English, Norwegian, Swedish, Storage Operating system language Danish, Finnish Total storage capacity \* 512 GB

Storage		Software	
Storage media *	SSD	Trial software	No Microsoft Office License Included
Optical drive type *	×		30 day Trial Offer Only
Number of storage drives installed	1	Power	
Total SSDs capacity	512 GB	Power supply *	180 W
Number of SSDs installed	1	Power supply input voltage	90 - 264 V
SSD capacity	512 GB	Power supply input frequency	47/63 Hz
SSD interface NVMe	PCI Express	80 PLUS certification	80 PLUS Bronze
SSD form factor	✓ M.2	Operational conditions	
SSD performance class	M.2 35	Operating temperature (T-T)	10 - 35 °C
•		Storage temperature (T-T)	-40 - 65 °C
Graphics		Operating relative humidity (H-H)	20 - 80%
Discrete graphics card *	×	Storage relative humidity (H-H)	5 - 95%
On-board graphics card *	J	Operating altitude	-15.2 - 3048 m -15.2 - 10668 m
Discrete graphics card model *	Not available	Non-operating altitude Operating vibration	0.26 G
On-board GPU manufacturer	Intel	Non-operating vibration	1.37 G
On-board graphics card family	Intel® UHD Graphics	Non-operating shock	105 G
On-board graphics card model *	Intel UHD Graphics 770	Sustainability	
Network			1
Ethernet LAN *	1	Sustainability compliance	
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability certificates	ENERGY STAR, EPEAT Silver
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
Wi-Fi *		Width *	92.6 mm
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Depth *	292.8 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	Height *	290 mm
	6E (802.11ax)	Packaging content	
WLAN controller manufacturer	Intel	Display included *	×
WLAN controller model Antenna type	Intel Wi-Fi 6E AX210 2x2	Carbon footprint	
Bluetooth	222	Total carbon footprint (kg of CO2e)	160
Ports & interfaces	•	Carbon emissions, manufacturing (kg of CO2e)	80
USB 2.0 ports quantity *	4	Carbon emissions, logistics (kg of CO2e)	11
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Carbon emissions, energy usage (kg of CO2e)	64
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Carbon emissions, end-of-life (kg of CO2e)	4
HDMI ports quantity *	1	Total carbon emissions, w/o use	06
HDMI version	1.4b	phase (kg of CO2e)	96
DisplayPorts quantity	1	PAIA version	GaBi version 1, 2024



5397184852378

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.