

DELL OptiPlex 7020 Intel® Core™ i7 i7-14700T 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro MFF Mini PC musta

Tuotemerkki : DELL Tuoteperhe: OptiPlex Tuotekoodi: V4CHX

Tuotteen nimi: 7020

SSD performance class

35

DELL OptiPlex 7020. Suoritinperhe: Intel® Core™ i7, Prosessorimalli: i7-14700T. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel UHD Graphics 770. Wi-Fi. Käyttöjärjestelmä asennettu: Windows 11 Pro, Käyttöjärjestelmän arkkitehtuuri: 64-bittinen. Virtalähde: 90 W. Alustatyyppi: MFF. Tuotetyyppi: Mini PC. Tuotteen väri: musta





Processor		Ports & interfaces	
Processor manufacturer * Intel Processor family * Intel® Core™ i7 Processor generation Intel® Core™ i7 (14th Processor model * i7-14700T	Intel® Core™ i7 Intel® Core™ i7 (14th gen)	DisplayPort version Ethernet LAN (RJ-45) ports Combo headphone/mic port DC-in jack	1.4a 1 •
Processor cores	20	Design	
Processor threads	28	Chassis type *	MFF
Processor boost frequency	5.2 GHz	Placement supported	Horizontal/Vertical
Performance cores Efficient cores	8 12	Cable lock slot	✓
Performance-core Max Turbo Frequency	5 GHz	Cable lock slot type Product colour *	Kensington Black
Efficient-core Max Turbo Frequency		Intel® vPro™ Platform Eligibility	✓
Performance-core base frequency Efficient-core base frequency	1.3 GHz 0.9 GHz	Performance	
Processor cache Processor cache type Number of processors installed Processor base power Maximum turbo power Memory Internal memory * Maximum internal memory *	33 MB Smart Cache 1 35 W 106 W	Market positioning Motherboard chipset Audio chip Built-in speaker(s) Number of speakers Password protection Trusted Platform Module (TPM) Trusted Platform Module (TPM)	Business Intel Q670 Realtek ALC3204 1 2.0
Internal memory type Memory layout (slots x size)	DDR5-SDRAM 1 x 16 GB	version Product type *	Mini PC
Memory slots	2x SO-DIMM	Software	
Storage Total storage capacity *	512 GB	Operating system installed * Operating system architecture	Windows 11 Pro 64-bit
Storage media *	SSD	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Optical drive type * Total SSDs capacity	X 512 GB	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Number of SSDs installed	1	Power	
SSD capacity SSD interface NVMe SSD form factor	512 GB PCI Express 4.0 ✓ M.2	Power supply * Power supply input voltage Power supply input frequency	90 W 100 - 240 V 50/60 Hz

Storage		Operational conditions	
M.2 SSD size	2230 (22 x 30 mm)	Operating temperature (T-T)	10 - 35 °C
Graphics		Storage temperature (T-T)	-40 - 65 °C
Discrete graphics card * On-board graphics card * Discrete graphics card model * On-board GPU manufacturer On-board graphics card family On-board graphics card model *	X ✓ Not available Intel Intel® UHD Graphics Intel UHD Graphics 770	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating vibration Non-operating vibration Operating shock	20 - 80% 5 - 95% -15.2 - 3048 m -15.2 - 10668 m 0.26 G 1.37 G 40 G
Network		Non-operating shock	105 G
Ethernet LAN *	✓	Sustainability	
Ethernet LAN data rates	10,100,1000 Mbit/s	Sustainability compliance	✓
Wi-Fi * Top Wi-Fi standard	✓ Wi-Fi 6E (802.11ax)	Sustainability certificates	TCO, ENERGY STAR, EPEAT Climate +
TOP WI-FI Stalldard	802.11a, Wi-Fi 5 (802.11ac),	Doesn't contain	PVC/BFR
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Weight & dimensions	
WLAN controller manufacturer	Intel	Width *	36 mm
WLAN controller model	Intel Wi-Fi 6E AX211	Depth *	178 mm
Antenna type	2x2	Height *	182 mm
Bluetooth	✓	Packaging content	
Ports & interfaces		Display included *	×
USB 2.0 ports quantity *	2	Carbon footprint	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Total carbon footprint (kg of CO2e)	91
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Carbon emissions, manufacturing (kg of CO2e)	59
PowerShare	✓	Carbon emissions, logistics (kg of CO2e)	2
Number of USB ports with PowerShare support	1	Carbon emissions, energy usage (kg of CO2e)	28
HDMI ports quantity *	1	Carbon emissions, end-of-life (kg of	1
HDMI version	1.4b	CO2e)	-
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	62
		PAIA version	GaBi version 1, 2024



5397184802328

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.