



## DELL OptiPlex 7020 Intel® Core™ i5 i5-14500T 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Pro MFF Mini PC musta

**Tuotemerkki :** DELL

**Tuoteperhe:** OptiPlex

**Tuotekoodi:** MX3YP

**Tuotteen nimi :** 7020

DELL OptiPlex 7020. Suoritinperhe: Intel® Core™ i5, Processorimalli: i5-14500T. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel UHD Graphics 770. Wi-Fi. Käyttöjärjestelmä asennettu: Windows 11 Pro, Käyttöjärjestelmän arkkitehtuuri: 64-bittinen. Virtalähde: 90 W. Alustatyyppi: MFF. Tuotetyyppi: Mini PC. Tuotteen väri: musta



Processor		Ports & interfaces	
Processor manufacturer *	Intel	DisplayPort version	1.4a
Processor family *	Intel® Core™ i5	Ethernet LAN (RJ-45) ports	1
Processor generation	Intel® Core™ i5 (14th gen)	Combo headphone/mic port	✓
Processor model *	i5-14500T	DC-in jack	✓
Processor cores	14		
Processor threads	20		
Processor boost frequency	4.8 GHz		
Performance cores	6		
Efficient cores	8		
Performance-core Max Turbo Frequency	4.8 GHz		
Efficient-core Max Turbo Frequency	3.4 GHz		
Performance-core base frequency	1.7 GHz		
Efficient-core base frequency	1.2 GHz		
Processor cache	24 MB		
Processor cache type	Smart Cache		
Number of processors installed	1		
Processor base power	35 W		
Maximum turbo power	92 W		
Memory		Design	
Internal memory *	16 GB	Chassis type *	MFF
Maximum internal memory *	64 GB	Placement supported	Horizontal/Vertical
Internal memory type	DDR5-SDRAM	Cable lock slot	✓
Memory layout (slots x size)	1 x 16 GB	Cable lock slot type	Kensington
Memory slots	2x SO-DIMM	Product colour *	Black
		Intel® vPro™ Platform Eligibility	✓
Storage		Performance	
Total storage capacity *	512 GB	Market positioning	Business
Storage media *	SSD	Motherboard chipset	Intel Q670
Optical drive type *	✗	Audio chip	Realtek ALC3204
Total SSDs capacity	512 GB	Built-in speaker(s)	✓
Number of SSDs installed	1	Number of speakers	1
SSD capacity	512 GB	Password protection	✓
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM)	✓
NVMe	✓	Trusted Platform Module (TPM) version	2.0
SSD form factor	M.2	Product type *	Mini PC
SSD performance class	35		
		Software	
		Operating system installed *	Windows 11 Pro
		Operating system architecture	64-bit
		Operating system language	Danish, English, Finnish, Norwegian, Swedish
		Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
		Power	
		Power supply *	90 W
		Power supply input voltage	100 - 240 V
		Power supply input frequency	50/60 Hz

<b>Storage</b>		<b>Operational conditions</b>	
M.2 SSD size	2230 (22 x 30 mm)	Operating temperature (T-T)	10 - 35 °C
<b>Graphics</b>		Storage temperature (T-T)	-40 - 65 °C
Discrete graphics card *	✗	Operating relative humidity (H-H)	20 - 80%
On-board graphics card *	✓	Storage relative humidity (H-H)	5 - 95%
Discrete graphics card model *	Not available	Operating altitude	-15.2 - 3048 m
On-board GPU manufacturer	Intel	Non-operating altitude	-15.2 - 10668 m
On-board graphics card family	Intel® UHD Graphics	Operating vibration	0.26 G
On-board graphics card model *	Intel UHD Graphics 770	Non-operating vibration	1.37 G
<b>Network</b>		Operating shock	40 G
Ethernet LAN *	✓	Non-operating shock	105 G
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Sustainability</b>	
Wi-Fi *	✓	Sustainability compliance	✓
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Sustainability certificates	TCO, ENERGY STAR, EPEAT Climate +
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Doesn't contain	PVC/BFR
WLAN controller manufacturer	Intel	<b>Weight &amp; dimensions</b>	
WLAN controller model	Intel Wi-Fi 6E AX211	Width *	36 mm
Antenna type	2x2	Depth *	178 mm
Bluetooth	✓	Height *	182 mm
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
USB 2.0 ports quantity *	2	Display included *	✗
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	<b>Carbon footprint</b>	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Total carbon footprint (kg of CO2e)	91
PowerShare	✓	Carbon emissions, manufacturing (kg of CO2e)	59
Number of USB ports with PowerShare support	1	Carbon emissions, logistics (kg of CO2e)	2
HDMI ports quantity *	1	Carbon emissions, energy usage (kg of CO2e)	28
HDMI version	1.4b	Carbon emissions, end-of-life (kg of CO2e)	1
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	62
		PAIA version	GaBi version 1, 2024



5397184802298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date