

DELL P Series P2225H computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black, Silver

Brand : DELL Product family: P Series Product code: DELL-P2225H

Product name : P2225H

- 54.6cm (21.5") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

 $54.6 cm \ (21.5") \ Full \ HD \ 1920 \ x \ 1080 \ Edge \ LED \ IPS, \ 16:9, \ 250 cd/m^2, \ 16.7 M, \ 8ms, \ 178^\circ/178^\circ, \ 1500:100 \ A_{\odot} \ A_{\odot}$

DELL P Series P2225H computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black, Silver:

Stay productive. Get enhanced visual comfort and seamless connectivity with this 22-inch monitor, certified by TÜV for 4-star eye comfort.

DELL P Series P2225H. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen * Display brightness (peak)	54.6 cm (21.5") 1920 x 1080 pixels Full HD 16:9 LCD IPS ✓ Edge LED X 250 cd/m²	Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD)	15 cm -90 - 90° -45 - 45° -5 - 21° /
Display brightness (typical)	250 cd/m²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	D
Anti-glare screen Screen shape *	✓ Flat	Energy consumption (SDR) per 1000 hours *	11 kWh
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off)	10.9 W 0.3 W 60 W 0.3 W
Supported video modes	480p, 576p, 720p, 1080p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency Input current	50/60 Hz 1.5 A
Maximum refresh rate *	100 Hz	Power supply type	Internal
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical Display number of colours *	178° 16.7 million colours	European Product Registry for Energy Labelling (EPREL) code	1865618
Response time (fast) Pixel pitch	5 ms 0.248 x 0.248 mm	Operational conditions	
Pixel density Horizontal scan range Vertical scan range	102.44 ppi 30 - 110 kHz 48 - 100 Hz	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 10 - 80%
·			

Display		Operational conditions	
Viewable size, horizontal	47.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	26.8 cm	Operating altitude	0 - 5000 m
High Dynamic Range (HDR) supported	×	Non-operating altitude	5000 - 12192 m
Surface hardness	3H	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	488.1 mm
Performance		Depth (with stand)	181.8 mm
		Height (with stand)	482.4 mm
NVIDIA G-SYNC *	×	Weight (with stand)	4.04 kg
AMD FreeSync *	×	Width (without stand)	488.1 mm
Flicker-free technology	•	Depth (without stand)	50 mm 285.8 mm
Low Blue Light technology	•	Height (without stand) Weight (without stand)	2.58 kg
Multimedia		Bezel width (side)	6 mm
Built-in speaker(s) *	×	Bezel width (top)	6 mm
Built-in camera *	×	Bezel width (bottom)	1.2 cm
Design		Packaging data	
Market positioning *	Office	Package weight	6.15 kg
Product colour *	Black, Silver	Packaging content	
Front bezel colour	Black	Stand included	1
Detachable stand	✓	Cables included	AC, DisplayPort
Feet colour	Silver	Power adapter included	✓
Ports & interfaces		Remote control included	×
Built-in USB hub *	1	Stylus included	X
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Quick start guide	^ ✓
USB upstream port type	USB Type-B	DisplayPort cable length	1.8 m
Number of upstream ports	1		1.6 111
USB Type-A downstream ports	3	Sustainability	
quantity		Sustainability compliance	✓
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Power Delivery (USB PD)	1	Doesn't contain	PVC/BFR
USB Power Delivery up to	15 W	Carbon footprint	
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e)	139
HDMI *	✓	Carbon emissions, manufacturing	70
HDMI ports quantity	1	(kg of CO2e)	
HDMI version	1.4	Carbon emissions, logistics (kg of CO2e)	12
DisplayPorts quantity DisplayPort version	1 1.2	Carbon emissions, energy usage (kg of CO2e)	54
Headphone out *	X	Carbon emissions, end-of-life (kg of CO2e)	3
HDCP	✓	Total carbon emissions, w/o use	0.5
HDCP version	1.4	phase (kg of CO2e)	85
AC (power) in	✓	PAIA version	GaBi version 1, 2024
Network		Other features	
Wi-Fi	×	Heavy metals free	Hg (mercury)
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		





5397184821695

5715063530153

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.