

## DELL P Series P2225H tietokoneen litteä näyttö 54,6 cm (21.5") 1920 x 1080 pikseliä Full HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: P Series

Tuotekoodi: DELL-P2225H

Tuotteen nimi : P2225H

DELL P Series P2225H. Näytön halkaisija: 54,6 cm (21.5"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea






Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Height adjustment *	1
Display resolution *	1920 x 1080 pixels	Height adjustment	15 cm
HD type *	Full HD	Pivot	1
Native aspect ratio *	16:9	Pivot angle	-90 - 90°
Display technology *	LCD	Swivelling	1
Panel type *	IPS	Swivel angle range	-45 - 45°
LED backlight	1	Tilt adjustment	1
Backlight type	Edge LED	Tilt angle range	-5 - 21°
Touchscreen *	×	On Screen Display (OSD)	V
Display brightness (peak)	250 cd/m <sup>2</sup>		
Display brightness (typical)	250 cd/m <sup>2</sup>	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	D
Anti-glare screen		Energy consumption (SDR) per 1000 hours *	11 kWh
Screen shape *	Flat	Power consumption (typical) *	10.9 W
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power consumption (standby) *	0.3 W
		Power consumption (max)	60 W
		Power consumption (off)	0.3 W
Supported video modes	480p, 576p, 720p, 1080p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency	50/60 Hz
Maximum refresh rate *	100 Hz	Input current	1.5 A
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours *	16.7 million colours	European Product Registry for Energy Labelling (EPREL) code	1865618
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.248 x 0.248 mm	•	A 49.49
Pixel density	102.44 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 110 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date

Display		Operational conditions	
Viewable size, horizontal	47.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size, vertical	26.8 cm	Operating altitude	0 - 5000 m
High Dynamic Range (HDR) supported	×	Non-operating altitude	5000 - 12192 m
Surface hardness	3H	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	488.1 mm
Performance		Depth (with stand)	181.8 mm
NVIDIA G-SYNC *	×	Height (with stand) Weight (with stand)	482.4 mm 4.04 kg
AMD FreeSync *	×	Width (without stand)	488.1 mm
Flicker-free technology	1	Depth (without stand)	50 mm
Low Blue Light technology	1	Height (without stand)	285.8 mm
Multimedia		Weight (without stand)	2.58 kg
Built-in speaker(s) *	×	Bezel width (side)	6 mm
Built-in camera *	×	Bezel width (top) Bezel width (bottom)	6 mm 1.2 cm
	^	. ,	1.2 011
Design	0.17	Packaging data Package weight	6 15 kg
Market positioning * Product colour *	Office Black Silver	5 5	6.15 kg
Front bezel colour	Black, Silver Black	Packaging content	
Detachable stand		Stand included	
Feet colour	Silver	Cables included	AC, DisplayPort
Ports & interfaces		Power adapter included	
Built-in USB hub *	✓	Remote control included	×
USB hub version	• 3.2 Gen 1 (3.1 Gen 1)	Stylus included	X
USB upstream port type	USB Type-B	Quick start guide	✓ 1.0 m
Number of upstream ports	1	DisplayPort cable length	1.8 m
USB Type-A downstream ports	3	Sustainability	
quantity USB Type-C downstream ports		Sustainability compliance	
quantity	1	Sustainability certificates Doesn't contain	ENERGY STAR, TCO PVC/BFR
USB Power Delivery (USB PD)	1		I VC/DI K
USB Power Delivery up to	15 W	Carbon footprint	120
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing	139
HDMI *		(kg of CO2e)	70
HDMI ports quantity HDMI version	1 1.4	Carbon emissions, logistics (kg of CO2e)	12
DisplayPorts quantity	1	Carbon emissions, energy usage (kg	F.4
DisplayPort version	1.2	of CO2e)	
Headphone out *	×	Carbon emissions, end-of-life (kg of CO2e)	3
HDCP	1	Total carbon emissions, w/o use	05
HDCP version	1.4	phase (kg of CO2e)	85
AC (power) in	1	PAIA version	GaBi version 1, 2024
Network		Other features	
Wi-Fi	×	Heavy metals free	Hg (mercury)
Ergonomics		Compliance certificates	RoHS
VESA mounting *	1		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		





5397184821695

5715063530153

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.