



Lenovo 00MM860 network card Internal Ethernet 10000 Mbit/s

Brand : Lenovo

Product code: 00MM860

Product name : 00MM860

Intel X550-T2 Dual Port 10GBase-T

Lenovo 00MM860 network card Internal Ethernet 10000 Mbit/s:

The Intel X550 10GBASE-T Adapter is a low cost, low power 10 GbE performance adapter suitable for all data center applications. With support for standard CAT 6a cabling with RJ45 connectors, the X550 offers a low barrier of entry to 10 Gb Ethernet networking.

This product guide provides essential presales information to understand the Intel X550 offerings and their key features, specifications, and compatibility. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about Intel X550 adapters and consider their use in IT solutions.

Lenovo 00MM860. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 10000 Mbit/s. Product colour: Black, Green



Ports & interfaces		System requirements	
Connectivity technology *	Wired	Compatible operating systems	Microsoft Windows Server 2012 R2
Host interface *	PCI Express		Microsoft Windows Server 2012
Interface *	Ethernet		Microsoft Windows Server 2016 Red Hat Enterprise Linux 6 Server x64
Ethernet LAN (RJ-45) ports	2		Edition Red Hat Enterprise Linux 7
PCI Card form factor	Full-height (low-profile)		SUSE Linux Enterprise Server 12
Network			SUSE Linux Enterprise Server 11 for AMD64/EM64T SUSE Linux Enterprise Server 11 with Xen for AMD64/EM64T SUSE Linux Enterprise Server 12 with Xen
Maximum data transfer rate *	10000 Mbit/s		VMware ESXi 5.5 VMware ESXi 6.0 VMware ESXi 6.5
Networking standards *	IEEE 802.1Q, IEEE 802.1Qbg, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x		
Ethernet LAN	✓	Operational conditions	
Ethernet interface type	10 Gigabit Ethernet	Operating temperature (T-T)	5 - 55 °C
Ethernet LAN data rates	1000 Mbit/s	Storage temperature (T-T)	-40 - 85 °C
Cabling technology	10/100/1000BaseT(X)	Operating altitude	0 - 3048 m
Jumbo frames support	✓	Weight & dimensions	
Jumbo frames	9500	Width	16 mm
VLAN tagging	✓	Depth	134 mm
LAN controller	Intel® X550	Height	69 mm
Design		Packaging data	
Component for *	Server	Quantity	1
Product colour	Black, Green	Technical details	
Internal *	✓	Compliance certificates	RoHS
LED indicators	✓	Logistics data	

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Other features

Flow control support	✓
Intel® Virtualization Technology (Intel® VT)	VT-c
Intel Virtual Machine Device Queues (VMDq)	✓
Intel Flexible Port Partitioning	✓
Receive Side Scaling (RSS)	✓



0889488078158



889488078158

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.