Lenovo 01CV830 verkkokortti Sisäinen Kuitu 16000 Mbit/s

Tuotemerkki : Lenovo

Tuotekoodi: 01CV830

Tuotteen nimi : 01CV830

Lenovo 01CV830. Sisäinen. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: PCIe,
Käyttöliittymä: Kuitu. Tiedonsiirron enimmäisnopeus: 16000 Mbit/s. Tuotteen väri: musta, Vihreä, Hopea

Ports & interfaces

Connectivity technology *	Wired
Host interface *	PCIe
Interface *	Fiber
Fiber ports quantity	1
Fiber optic connector	FC, SFP+
PCI version	3.0

Network

Maximum data transfer rate *	16000 Mbit/s
Full duplex	✔
Web-based management	✔
Maximum operating distance	150 m

Design

Component for *	Server
Product colour	Black, Green, Silver
Internal *	✔
Rack mounting	✔
Rack capacity	2U
Hot-swap	✔
Hot-Plug support	✔
LED indicators	✔
Mean time between failures (MTBF)	10000000 h
Certification	AS/NZS CISPR22:2009+A1, Class A Australian EMC Framework (RCM) cUR recognized to CSA 22.2, No. 60950-1-07 EN55022:2010, Class A EN55024:2010 EN55032:2012 EU (CE Mark) FCC Rules, Part 15, Class A Industry Canada, ICES-003, Class A Japan VCCI, Class A Korea MSIP, Class A RoHS Compliant (Directive 2011/65/EU) TUV certified to EN60950-1+A11+A1+A12+A2 Taiwan BSMI, Class A UL recognized to UL60950-1 2nd Edition

Design

Compatible products	System x3500 M5 Type 5464 System x3550 M5 Type 5463 System x3550 M5 Type 8869 System x3650 M5 Type 5462 System x3650 M5 Type 8871 System x3750 M4 Type 8753 System x3850 X6 Type 6241 (E7 v2, E7 v3, and E7 v4) System x3950 X6 Type 6241 (E7 v2, E7 v3, and E7 v4) NeXtScale nx360 M5 Type 5465 (E5-2600 v3 and E5-2600 v4)

System requirements

Linux operating systems supported	RedHat EL Linux 6.0, RedHat EL Linux 7.0, SuSE Linux 11, SuSE Linux 12.0
Other operating systems supported	VMware vSphere ESXi
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2

Operational conditions

Operating temperature (T-T)	0 - 55 °C
Storage temperature (T-T)	-20 - 85 °C
Operating relative humidity (H-H)	5 - 95%

Weight & dimensions

Depth	168 mm
Height	69 mm

Packaging data

Quantity	1
Low-profile bracket	✔
Package type	Box

Packaging content

Mounting brackets included	✔

Technical details

Compliance certificates	RoHS

Logistics data

Harmonized System (HS) code	85176990

Other features

PCI-SIG* SR-IOV Capable	✔

0889488417339

889488417339