

Canon MAXIFY MB5150 Mustesuihku A4 600 x 1200 DPI 24 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: MAXIFY

Tuotekoodi: 0960C009

Tuotteen nimi : MB5150

Canon MAXIFY MB5150. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 600 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 15,5 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 1200 DPI. Faksaus: Värifaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



| Printing | | Paper handling | |
|-----------------------------------------------------|-------------------------|---------------------------------------|----------------------------------------------------------|
| Duplex printing mode | Auto | Photo paper sizes | 10x15,13x18,20x25 |
| Print technology * | Inkjet | Custom media width | 89 - 215.9 mm |
| Printing * | Colour printing | Custom media length | 127 - 355.6 mm |
| Duplex printing * | ✓ | Ports & interfaces | |
| Maximum resolution * | 600 x 1200 DPI | Standard interfaces | Ethernet, USB 2.0, Wireless LAN |
| Print speed (black, normal quality, A4/US Letter) * | 24 ppm | USB port | ✓ |
| Print speed (colour, normal quality, A4/US Letter) | 15.5 ppm | USB 2.0 ports quantity | 1 |
| Time to first page (black, normal) | 6 s | Network | |
| Time to first page (colour, normal) | 7 s | Wi-Fi * | ✓ |
| Copying | | Ethernet LAN * | ✓ |
| Copying * | Colour copying | Cabling technology | 10/100Base-T(X) |
| Copy speed (black, normal quality, A4) | 22 cpm | Ethernet LAN data rates | 10,100 Mbit/s |
| Copy speed (colour, normal quality, A4) | 11.5 cpm | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Maximum number of copies | 99 copies | Security algorithms | SNMP |
| Copier resize | 25 - 400% | Mobile printing technologies | Apple AirPrint, Google Cloud Print, Mopria Print Service |
| N-in-1 copy function (N=) | 2, 4 | Performance | |
| Scanning | | Card reader integrated | ✗ |
| Duplex scanning * | ✓ | Design | |
| Scanning * | Colour scanning | Product colour * | Black |
| Optical scanning resolution * | 1200 x 1200 DPI | Market positioning * | Business |
| Maximum scan area | 216 x 297 mm | Built-in display * | ✓ |
| Scanner type * | Flatbed & ADF scanner | Display | LCD |
| Scan technology | Dual CIS | Display diagonal | 8.89 cm (3.5") |
| Scan to | Cloud, E-mail, FTP, USB | Touchscreen | ✓ |
| Duplex scan speed (colour) | 23 ppm | Control type | Touch |
| Duplex scan speed (black) | 23 ppm | Colour display | ✓ |
| Input colour depth | 48 bit | Power | |
| Output colour depth | 24 bit | Power consumption (average operating) | 25 W |
| | | Power consumption (off) | 0.2 W |

| | | | |
|-------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Fax | | Power | |
| Faxing * | Colour faxing | Energy Star Typical Electricity Consumption (TEC) | 0.2 kWh/week |
| Fax resolution (black) | 300 x 300 DPI | AC input voltage | 100 - 240 V |
| Fax transmission speed | 3 sec/page | AC input frequency | 50 - 60 Hz |
| Modem speed | 33.6 Kbit/s | System requirements | |
| Fax memory | 250 pages | Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64 Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2 Android, Windows 10 Mobile, Windows RT, iOS | |
| Fax broadcasting | 100 locations | | |
| Features | | | |
| Recommended duty cycle | 250 - 1500 pages per month | | |
| Maximum duty cycle * | 30000 pages per month | | |
| Number of print cartridges * | 4 | | |
| Printing colours * | Black, Cyan, Magenta, Yellow | | |
| Input & output capacity | | | |
| Total number of input trays * | 1 | | |
| Total input capacity * | 250 sheets | | |
| Paper input type | Cassette | | |
| Auto document feeder (ADF) | ✓ | | |
| Auto document feeder (ADF) input capacity | 50 sheets | | |
| Paper handling | | | |
| Maximum ISO A-series paper size * | A4 | | |
| Paper tray media types * | Envelopes, Glossy paper, High resolution paper, Matte paper, Plain paper, Semi-glossy paper | | |
| ISO A-series sizes (A0...A9) * | A4, A5 | | |
| ISO B-series sizes (B0...B9) | B5 | | |
| Operational conditions | | | |
| Operating relative humidity (H-H) | 10 - 80% | | |
| Operating temperature (T-T) | 15 - 30 °C | | |
| Weight & dimensions | | | |
| Width | 463 mm | | |
| Depth | 394 mm | | |
| Height | 291 mm | | |
| Weight | 11.4 kg | | |
| Packaging content | | | |
| Drivers included | ✓ | | |
| Bundled software | Quick Utility Toolbox, Easy-WebPrint EX, IJ Network Device Setup Utility | | |
| Other features | | | |
| Cartridge type | PGI-2500XL BK, PGI-2500XL C, PGI-2500XL M, PGI-2500XL Y | | |
| Noise level | 56 dB | | |



4549292052329

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date