

DELL PowerEdge T350 palvelin 480 GB Tower Intel Xeon E E-2336 2,9 GHz 16 GB DDR4-SDRAM 700 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: 0GH6C



DELL PowerEdge T350. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 2,9 GHz, Prosessorimalli: E-2336. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 16 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 700 W. Alustatyyppi: Tower





| Processor | | Performance | |
|---|---------------------------------|---|---|
| Processor manufacturer * | Intel | Remote administration | iDRAC9, Enterprise 15G |
| Processor family * | Intel Xeon E | Trusted Platform Module (TPM) | Image: A set of the set of the |
| Processor model * Processor frequency * Processor boost frequency | E-2336 2.9 GHz 4.8 GHz | Trusted Platform Module (TPM) version | 2.0 |
| | | Software | |
| Processor cores | 6 | Operating system installed * | × |
| Processor cache | 12 MB | operating system instance | Canonical Ubuntu Server LTS Citrix |
| Number of processors installed1Thermal Design Power (TDP)65 MProcessor threads12 | - 65 W | Compatible operating systems * | Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server |
| Memory | | Power | |
| Internal memory * Internal memory type * | 16 GB DDR4-SDRAM | Redundant power supply (RPS) support * | × |
| Buffered memory type | Unregistered (unbuffered) | Power supply * | 700 W |
| Memory slots | 4x DIMM | Number of main power supplies | 1 |
| ECC | 1 | Power supply input voltage | 200 - 240 V |
| Memory layout (slots x size) | 1 x 16 GB | Power cable length | 2 m |
| Memory data transfer rate | 3200 MT/s | Power cable connector 1 | C13 coupler |
| Maximum internal memory * | 128 GB | Power cable current | 10 A |
| Storage | | Operational conditions | |
| Total storage capacity *480 GBNumber of SSDs installed1SSD capacity480 GBSSD interfaceSATA IIISSD size2.5"Supported SSD sizes3.5"Number of SSDs supported8RAID support *× | 1 480 GB SATA III 2.5" | Operating temperature (T-T) Storage temperature (T-T) Storage relative humidity (H-H) Operating altitude Non-operating altitude | 10 - 35 °C -40 - 65 °C 5 - 95% 0 - 3048 m 0 - 12000 m |
| | 8 | Carbon footprint | |
| | | Total carbon footprint (kg of CO2e) | 2310 |

| Storage | | Carbon footprint | |
|--|--|---|---|
| Supported RAID controllers Hot-Plug support | PERC H755 | Total carbon emissions, standard deviation (kg of CO2e) | 999 |
| Optical drive type * | × | Carbon emissions, manufacturing (kg of CO2e) | 453 |
| Drive writes per day (DWPD) Storage drive adapter included | 1 | Carbon emissions, logistics (kg of CO2e) | 198 |
| Storage drive adapter type | 2.5" - 3.5" | Carbon emissions, energy usage (kg of CO2e) | 1630 |
| Network | Broadcom 5720 | Carbon emissions, end-of-life (kg of CO2e) | 31 |
| Ethernet LAN | 1 | Total carbon emissions, w/o use phase (kg of CO2e) | 682 |
| Cabling technology Ethernet interface type | 10/100/1000Base-T(X) Gigabit Ethernet | PAIA version | 1.3.2, 2022 |
| Ports & interfaces | | Weight & dimensions | |
| Ethernet LAN (RJ-45) ports * USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 2 5 2 | Width Depth Height Weight | 175 mm 581.1 mm 369.5 mm 25.3 kg |
| VGA (D-Sub) ports quantity | 1 | Packaging content | |
| Parallel ports quantity | 1 | Packaging content | European Power Cord 220V |
| Power cables quantity | 1 | Other features | |
| Design | | Data transfer rate | 6 Gbit/s |
| Chassis type * Product colour | Tower Black | Bytes per sector | 512 |
| Bezel | ✓ | | |



5397184760406

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.