



## DELL PowerEdge T350 palvelin 480 GB Tower Intel Xeon E E-2336 2,9 GHz 16 GB DDR4-SDRAM 700 W

**Tuotemerkki :** DELL

**Tuoteperhe:** PowerEdge

**Tuotekoodi:** 0GH6C

**Tuotteen nimi :** T350

DELL PowerEdge T350. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 2,9 GHz, Prosessorimalli: E-2336. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 16 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 700 W. Alustatyyppi: Tower



Processor		Performance	
Processor manufacturer *	Intel	Remote administration	iDRAC9, Enterprise 15G
Processor family *	Intel Xeon E	Trusted Platform Module (TPM)	✓
Processor model *	E-2336	Trusted Platform Module (TPM) version	2.0
Processor frequency *	2.9 GHz		
Processor boost frequency	4.8 GHz		
Processor cores	6		
Processor cache	12 MB		
Number of processors installed	1		
Thermal Design Power (TDP)	65 W		
Processor threads	12		
Memory		Software	
Internal memory *	16 GB	Operating system installed *	✗
Internal memory type *	DDR4-SDRAM	Compatible operating systems *	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server
Buffered memory type	Unregistered (unbuffered)		
Memory slots	4x DIMM		
ECC	✓		
Memory layout (slots x size)	1 x 16 GB		
Memory data transfer rate	3200 MT/s		
Maximum internal memory *	128 GB		
Storage		Power	
Total storage capacity *	480 GB	Redundant power supply (RPS) support *	✗
Number of SSDs installed	1	Power supply *	700 W
SSD capacity	480 GB	Number of main power supplies	1
SSD interface	SATA III	Power supply input voltage	200 - 240 V
SSD size	2.5"	Power cable length	2 m
Supported SSD sizes	3.5"	Power cable connector 1	C13 coupler
Number of SSDs supported	8	Power cable current	10 A
RAID support *	✗		
		Operational conditions	
		Operating temperature (T-T)	10 - 35 °C
		Storage temperature (T-T)	-40 - 65 °C
		Storage relative humidity (H-H)	5 - 95%
		Operating altitude	0 - 3048 m
		Non-operating altitude	0 - 12000 m
		Carbon footprint	
		Total carbon footprint (kg of CO2e)	2310

Storage		Carbon footprint	
Supported RAID controllers	PERC H755	Total carbon emissions, standard deviation (kg of CO2e)	999
Hot-Plug support	✓	Carbon emissions, manufacturing (kg of CO2e)	453
Optical drive type *	✗	Carbon emissions, logistics (kg of CO2e)	198
Drive writes per day (DWPD)	1	Carbon emissions, energy usage (kg of CO2e)	1630
Storage drive adapter included	✓	Carbon emissions, end-of-life (kg of CO2e)	31
Storage drive adapter type	2.5" - 3.5"	Total carbon emissions, w/o use phase (kg of CO2e)	682
Network		PAIA version	1.3.2, 2022
LAN controller	Broadcom 5720	Weight & dimensions	
Ethernet LAN	✓	Width	175 mm
Cabling technology	10/100/1000Base-T(X)	Depth	581.1 mm
Ethernet interface type	Gigabit Ethernet	Height	369.5 mm
Ports & interfaces		Weight	25.3 kg
Ethernet LAN (RJ-45) ports *	2	Packaging content	
USB 2.0 ports quantity	5	Packaging content	European Power Cord 220V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Other features	
VGA (D-Sub) ports quantity	1	Data transfer rate	6 Gbit/s
Parallel ports quantity	1	Bytes per sector	512
Power cables quantity	1		
Design			
Chassis type *	Tower		
Product colour	Black		
Bezel	✓		



5397184760406

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-NOV-2024. Prints or copies of Information are only valid on the printed Publication date