LG

LG 110UM5K-B infonäyttö Digitaalinen litteä infotaulu 2,79 m (110") LCD Wi-Fi 500 cd/m² 4K Ultra HD musta WebOS 16/7

Tuotemerkki : LG

Tuotekoodi: 110UM5K-B

Tuotteen nimi : 110UM5K-B

LG 110UM5K-B. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 2,79 m (110"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 500 cd/m², HD-tyyppi: 4K Ultra HD. Wi-Fi. Toiminta-aika (tunteja/päiviä): 16/7. Käyttöjärjestelmä asennettu: WebOS. Tuotteen väri: musta

Display

Panel type	ADS
LED backlight	✔
LED backlighting type	Direct-LED
Display diagonal *	2.79 m (110")
Display technology *	LCD
Display resolution *	3840 x 2160 pixels
Display brightness *	500 cd/m²
HD type *	4K Ultra HD
Touchscreen *	✘
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Panel life	50000 h
Colour depth	8 bit
Native refresh rate	120 Hz
Haze rate	25%

Ports & interfaces

HDMI ports quantity *	4
HDMI input ports quantity	3
HDMI output ports quantity	1
DVI port *	✔
DVI-D ports quantity	1
DisplayPorts quantity *	1
USB port *	✔
USB ports quantity	1
USB version	2.0
USB connector type	USB Type-A
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔

Design

Panel mounting interface	1500 x 600 mm
Bezel width (bottom)	1.7 cm
Bezel width (side)	1.7 cm
Bezel width (top)	1.7 cm

Performance

Purpose *	Commercial
Picture-in-Picture	✔
On Screen Display (OSD)	✔
Operating hours (hours/days)	16/7
HDCP	✔
Automatic brightness control	✔
HDCP version	1.4/2.2/2.3

Power

Power consumption (typical) *	440 W
Power consumption (standby) *	0.5 W
Power consumption (max)	570 W
AC input voltage	100-240 V
AC input frequency	50-60 Hz

Computer system

Internal memory	16 GB
Operating system installed	WebOS
Operating system version	6.0

Weight & dimensions

Display width	2474 mm
Display depth	99 mm
Display height	1408 mm
Display weight	80 kg

Packaging data

Package width	2680 mm
Package depth	320 mm
Package height	1730 mm
Package weight	110 kg

Ports & interfaces

RS-232C	✔
Remote (IR) input	1

Audio

Built-in speaker(s) *	✔
Number of built-in speakers	2
RMS rated power	20 W

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor
Orientation	Horizontal/Vertical
Product colour *	Black
VESA mounting *	✔

Packaging content

Remote control included	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Technical details

Real Time Clock (RTC)	✔

Other features

Audio input	1
Audio output	1
Power consumption (PowerSave)	308 W
Plug and Play	✔

0195174061237

195174061237