



DELL Xeon 4214R suoritin 2,4 GHz 16,5 MB

Tuotemerkki : DELL

Tuoteperhe: Xeon

Tuotekoodi: 338-BVKC

Tuotteen nimi : 4214R

DELL Xeon 4214R. Suoritinperhe: Intel® Xeon Silver, Prosessorin kanta: LGA 3647 (Socket P), Prosessorin litografia: 14 nm. Muistikanavat: Hexa-kanava, Prosessorin tukema suurin sisäinen muisti: 1,02 TB, Prosessorin tukemat muistityypit: DDR4-SDRAM. Markkinasegmentti: Palvelin, Tuetut ohjepaketit: SSE4.2, AVX, AVX 2.0, AVX-512, Skaalautuvuus: 2S. Prosessorin pakkausko: 76.0 x 56.5 mm



Processor		Processor special features	
Processor manufacturer *	Intel	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Processor generation	2nd Generation Intel® Xeon® Scalable	Intel® Turbo Boost Technology	2.0
Processor model *	4214R	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor base frequency *	2.4 GHz	Enhanced Intel SpeedStep Technology	✓
Processor family *	Intel Xeon Silver	Intel Trusted Execution Technology	✓
Processor cores *	12	Intel® Speed Shift Technology	✓
Processor socket *	LGA 3647 (Socket P)	Intel VT-x with Extended Page Tables (EPT)	✓
Component for	Server/workstation	Intel 64	✓
Processor lithography *	14 nm	Intel Virtualization Technology (VT-x)	✓
Processor threads	24	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor operating modes *	64-bit	Intel Turbo Boost Max Technology 3.0	✗
Processor boost frequency	3.5 GHz	AVX-512 Fused Multiply-Add (FMA) units	1
Processor cache	16.5 MB	Intel® Deep Learning Boost (Intel® DL Boost) on CPU	✓
Thermal Design Power (TDP)	100 W	Intel® Speed Select technology - Performance Profile (Intel® SST-PP)	✗
Cooler included *	✗	Intel® Volume Management Device (VMD)	✓
Processor codename	Cascade Lake	Intel® Optane™ DC Persistent Memory Supported	✗
Processor ARK ID	197100	Intel® vPro™ Platform Eligibility	✓
Memory		Intel® Speed Select Technology - Base Frequency (Intel® SST-BF)	✗
Maximum internal memory supported by processor	1.02 TB	Operational conditions	
Memory types supported by processor	DDR4-SDRAM	Tcase	79 °C
Memory clock speeds supported by processor	2400 MHz	Logistics data	
Memory channels *	Hexa-channel	Harmonized System (HS) code	85423119
ECC	✓	Weight & dimensions	
Graphics		Processor package size	76.0 x 56.5 mm
On-board graphics card *	✗		
Discrete graphics card *	✗		
On-board graphics card model *	Not available		
Discrete graphics card model *	Not available		
Features			
Execute Disable Bit	✓		
Market segment	Server		
Maximum number of PCI Express lanes	48		
PCI Express slots version	3.0		
Supported instruction sets	SSE4.2, AVX, AVX 2.0, AVX-512		

Features

Scalability	25
Embedded options available	✓
PCI Express CEM revision	3.0



5397184501269

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date